



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval AE-  
111973 Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Page	1 of 6

# **Eagle Mountain - Woodfibre Gas Pipeline Project**

## **BCER Waste Discharge Approval Report—Woodfibre Site Sampling and Monitoring**

**Report Period: January 3<sup>rd</sup> to January 7<sup>th</sup>, 2024**



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval AE-  
111973 Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Page	2 of 6

## Contents

Preamble .....	3
Introduction .....	3
Sampling Methodology .....	4
Summary .....	5
Activities .....	5
Point of Discharge from Water Treatment System Summary .....	5
Exceedance details .....	5
Receiving Environment Summary.....	5
Exceedance details .....	6

Appendix A: Point of Discharge from Water Treatment System Documentation

Appendix B: Receiving Environment Documentation

 <b>FORTIS BC™</b> <b>Eagle Mountain - Woodfibre Gas Pipeline Project</b> <b>Woodfibre Site Waste Discharge Approval AE-111973 Report</b>	Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
	Report #	2
	Page	3 of 6

## Preamble

This report is the initial report for the British Columbia Energy Regulator (BCER) Waste Discharge Approval (BCER number AE 111973) for the FortisBC Eagle Mountain – Woodfibre Gas Pipeline (EGP) Project for the BC Rail site. This report covers the reporting period from January 3<sup>rd</sup> to January 8<sup>th</sup>, 2024 and includes the results of water quality monitoring and sampling of the receiving environment (upstream and downstream) at the Woodfibre Site. During this timeframe, no discharge into the receiving environment at the Woodfibre Site occurred from the water treatment plant.

FortisBC has retained Triton Environmental Consultants Ltd. as the Qualified Professional to implement and oversee the monitoring and sampling program in the receiving environment. The data represented below, including laboratory reported exceedances, represent background conditions of the receiving environment, and are not related to EGP Project activities. The data collected and reported in this report represents background water quality conditions at the two receiving environment sampling sites as shown on the approved Waste Discharge Approval AE-111973.

## Water Treatment Plant Update

Since the issuance of the Waste Discharge Approval (AE 111973) on December 8<sup>th</sup>, 2023, FortisBC's tunnel contractor Frontier-Kemper Michels Joint Venture (FKM) has commenced shipping the water treatment plant (WTP) components to the Woodfibre site. No WTP has been set up on site to date.

## Introduction

The results provided in this document are submitted to BC Energy Regulator (BCER) by FortisBC as per the requirements listed in the Waste Discharge Approval AE-111973 Section 4.2:

The Approval Holder shall summarize the results of the discharge and receiving environment compliance sampling and monitoring program in a report that shall be submitted weekly over the term of this approval. The sampling and monitoring results shall be suitably tabulated and include comparison to the respective British Columbia Approved and Working Water Quality Guidelines for Freshwater & Marine Aquatic Life, as published by the Ministry of Environment & Climate Change Strategy. Any exceedance of regulatory guidelines shall be clearly highlighted, and any missed sampling events/missing date shall be identified with an explanation provided. Reporting frequency may be reduced upon a history of compliance and by written confirmation from the BCER. These reports shall be submitted to Waste.Management@bc-er.ca. A copy of the reports shall be provided to each First Nation consulted with regarding this subject approval, and also made publicly available on the FortisBC Eagle Mountain-Woodfibre Gas Pipeline Project | Talking Energy webpage.

FortisBC requests that the BCER confirm the receipt of this submittal and confirm that the submission meets the requirements of reporting. Future reports will use this format unless otherwise directed by BCER.



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval AE-  
111973 Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Page	4 of 6

## Sampling Methodology

The monitoring and sampling has been carried out in accordance with the procedures described in the most recent edition of the "British Columbia Field Sampling Manual" using field equipment and lab samples to meet daily and real time requirements for the Waste Discharge Approval.

At the receiving environment, real time daily field readings of pH, temperature, NTU, electrical conductivity, DO, ORP and salinity are being taken using an AquaTROLL 600 datalogger upstream and downstream in the watercourse at the Woodfibre site. Visible sheen will be monitored with visual inspections during times of discharge or sampling. Real time and daily readings are being monitored at the same time with one piece of equipment, allowing all the daily readings to be real time.

At the point of discharge from the WTP, the parameters are being monitored using field equipment (YSI ProDSS) and sondes/real time meters make and models to be confirmed by the contractor. Table 1 and Table 2 below show how each parameter is being monitored.

**Table 1. Monitoring Process at Point of Discharge from Water Treatment System**

Permit Frequency	Parameters	Details
Daily	Visible Sheen	In field inspection
Daily (or per batch)	DO	Monitoring using YSI ProDSS
	ORP	Monitoring using YSI ProDSS
	Salinity	Monitoring using YSI ProDSS
Real Time (or per batch)	pH	Monitoring using YSI ProDSS
	Temperature	Monitoring using YSI ProDSS
	NTU	Monitoring using YSI ProDSS
	Electrical Conductivity	Monitoring using YSI ProDSS
Weekly (or per batch) Lab Samples	List prescribed in permit	No Changes, still lab samples

**Table 2. Receiving Environment (upstream and downstream) Monitoring Process**

Permit Frequency	Parameters	Details
Daily	Visible Sheen	In field inspection
Daily	DO	Monitoring using Sonde- AquaTROLL 600 datalogger
	ORP	Monitoring using Sonde- AquaTROLL 600 datalogger
	Salinity	Monitoring using Sonde- AquaTROLL 600 datalogger
Real Time	pH	Monitoring using Sonde- AquaTROLL 600 datalogger
	Temperature	Monitoring using Sonde- AquaTROLL 600 datalogger
	NTU	Monitoring using Sonde- AquaTROLL 600 datalogger
	Electrical Conductivity	Monitoring using Sonde- AquaTROLL 600 datalogger
Weekly Lab Samples	List prescribed in permit	No changes, still lab samples

Receiving Environment equipment details: Sondes: Aqua-TROLL 600 made by In-Situ Inc. Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 10 minute intervals.

 <b>FORTIS BC™</b>	<b>Eagle Mountain - Woodfibre Gas Pipeline Project</b> <b>Woodfibre Site Waste Discharge Approval AE-</b> <b>111973 Report</b>		<b>Reporting Week</b> Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
	<b>Report #</b> 2		
	<b>Page</b> 5 of 6		

Point of Discharge from the water treatment system equipment details: YSI ProDSS with pH, conductivity, DO, ORP and turbidity probe that measure pH, temperature, NTU, electrical conductivity, ORP, DO and salinity.

## Summary

### Activities

- The real time water quality monitoring equipment (sondes) were deployed at the Woodfibre Site on December 18<sup>th</sup>, 2023.
- No discharges to the receiving environment have occurred from the water treatment plant within the reporting period. The water treatment plan has not yet been built and no tunneling is occurring.

### Point of Discharge from Water Treatment System Summary

N/A - No discharge occurred during the reporting period.

### Exceedance details

N/A - No discharge occurred during the reporting period.

### Receiving Environment Summary

The receiving environment is being monitored as a permit requirement, currently, there are no discharges from the WTP to the receiving environment, so all recorded exceedances in the laboratory report are not project related and existing background quality.

**Table 3: Upstream Monitoring Information**

Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
2024-01-03	Yes	Yes-real time	Full set of lab sample results, photo and documentation are provided in Appendix B

**Table 4: Downstream Monitoring Information**

Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
2024-01-03	Yes	Yes-real time	Full set of lab sample results, photo and documentation are provided in Appendix B



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval AE-  
111973 Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Page	6 of 6

### Receiving Environment Monitoring Details

- Daily visible sheen checks have not been conducted in the receiving environment as there have not been any discharges from the WTP.
- All receiving environment lab results are in Appendix B.
- Recorded exceedances in the laboratory and field samples collected from the receiving environment (upstream and downstream) are indicative of the existing background water quality in the Squamish River, and are not related to the EGP Project activities.



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval AE-111973  
Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Appendix	A

## **Appendix A Point of Discharge from Water Treatment Plant Documentation**



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval AE-111973  
Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Appendix	A

No discharge from the water treatment plant, nothing to report

 <b>FORTIS BC™</b>	<b>Eagle Mountain - Woodfibre Gas Pipeline Project</b>	<b>Reporting Week</b>	<b>Jan 3<sup>rd</sup> to Jan 7<sup>th</sup>, 2024</b>
	<b>Woodfibre Site Waste Discharge Approval</b>	<b>Report #</b>	<b>2</b>
	<b>AE-111973 Report</b>	<b>Appendix</b>	<b>B</b>

## Appendix B Receiving Environment Documentation



**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval  
AE-111973 Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Appendix	B

## Receiving Environment Sample Analysis





**Eagle Mountain - Woodfibre Gas Pipeline Project  
Woodfibre Site Waste Discharge Approval  
AE-111973 Report**

Reporting Week	Jan 3 <sup>rd</sup> to Jan 7 <sup>th</sup> , 2024
Report #	2
Appendix	B

## Receiving Environment Lab Documentation

## CERTIFICATE OF ANALYSIS (GUIDELINE EVALUATION)

Work Order	: VA24A0108	Page	: 1 of 7
Client Contact	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Address	: St	Account Manager	: [REDACTED]
Telephone	: [REDACTED]	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Project	: ----	Telephone	: [REDACTED]
PO	: ----	Date Samples Received	: 03-Jan-2024 17:50
C-O-C number	: ----	Date Analysis Commenced	: 04-Jan-2024
Sampler	: [REDACTED]	Issue Date	: 11-Jan-2024 09:45
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 5		
No. of samples analysed	: 5		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Guideline Comparison

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Brooke Miller	Laboratory Analyst	Inorganics, Edmonton, Alberta
Caitlin Macey	Team Leader - Inorganics	Inorganics, Burnaby, British Columbia
Juanita Martis	Laboratory Analyst	Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Inorganics, Burnaby, British Columbia
Miles Gropen	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
Monica Ko	Lab Assistant	Inorganics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Administration, Burnaby, British Columbia



## No Breaches Found

### General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guidelines are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.

Key : LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

>: greater than.

<: less than.

Red shading is applied where the result or the LOR is greater than the Guideline Upper Limit (or lower than the Guideline Lower Limit, if applicable).

For drinking water samples, Red shading is applied where the result for E.coli, fecal or total coliforms is greater than or equal to the Guideline Upper Limit.

### Qualifiers

Qualifier	Description
SP	Sample was preserved at the laboratory.



## Analytical Results Evaluation

Matrix: Water	Client sample ID	Sampling date/time	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank	---	---	
			03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00	---	---	
			Sub-Matrix	Water	Water	Water	Water	Water	---	
Analyte	CAS Number	Method/Lab	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	-----	-----
<b>Field Tests</b>										
Conductivity, field	---	EF001/VA	µS/cm	35.000	27.000	---	---	---	---	---
pH, field	---	EF001/VA	pH units	7.44	7.00	---	---	---	---	---
Temperature, field	---	EF001/VA	°C	6.70	6.00	---	---	---	---	---
<b>Physical Tests</b>										
Hardness (as CaCO <sub>3</sub> ), dissolved	---	EC100/VA	mg/L	14.2	6.06	6.02	<0.60	---	---	---
Hardness (as CaCO <sub>3</sub> ), from total Ca/Mg	---	EC100A/VA	mg/L	14.3	5.88	6.10	<0.60	<0.60	---	---
Solids, total dissolved [TDS]	---	E162/VA	mg/L	33	23	26	<10	<10	---	---
Solids, total suspended [TSS]	---	E160/VA	mg/L	<3.0	<3.0	<3.0	<3.0	<3.0	---	---
Alkalinity, total (as CaCO <sub>3</sub> )	---	E290/VA	mg/L	12.9	5.0	5.2	<2.0	<2.0	---	---
<b>Anions and Nutrients</b>										
Ammonia, total (as N)	7664-41-7	E298/VA	mg/L	<0.0050	0.0117	<0.0050	<0.0050	<0.0050	---	---
Bromide	24959-67-9	E235.Br-L/VA	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	---	---
Chloride	16887-00-6	E235.Cl/VA	mg/L	0.76	0.75	0.77	<0.50	<0.50	---	---
Fluoride	16984-48-8	E235.F/VA	mg/L	<0.020	<0.020	<0.020	<0.020	<0.020	---	---
Kjeldahl nitrogen, total [TKN]	---	E318/VA	mg/L	0.054	0.061	0.053	<0.050	<0.050	---	---
Nitrate (as N)	14797-55-8	E235.NO3-L/VA	mg/L	0.0484	0.0549	0.0409	<0.0050	<0.0050	---	---
Nitrite (as N)	14797-65-0	E235.NO2-L/VA	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	---	---
Nitrogen, total	7727-37-9	E366/VA	mg/L	0.106	0.115	0.108	<0.030	<0.030	---	---
Phosphorus, total	7723-14-0	E372-U/VA	mg/L	0.0170	0.0205	0.0215	<0.0020	<0.0020	---	---
Sulfate (as SO <sub>4</sub> )	14808-79-8	E235.SO4/VA	mg/L	2.66	2.15	2.32	<0.30	<0.30	---	---
<b>Organic / Inorganic Carbon</b>										
Carbon, dissolved organic [DOC]	---	E358-L/VA	mg/L	1.96	2.19	2.17	<0.50	---	---	---
<b>Total Sulfides</b>										
Sulfide, total (as S)	18496-25-8	E395/VA	mg/L	<0.0015	<0.0015	<0.0015	<0.0015	<0.0015	---	---
Sulfide, un-ionized (as H <sub>2</sub> S), from total	7783-06-4	EC395/VA	mg/L	<0.0015	<0.0015	---	---	---	---	---
Sulfide, total (as H <sub>2</sub> S)	7783-06-4	E395/VA	mg/L	<0.0016	<0.0016	<0.0016	<0.0016	<0.0016	---	---
<b>Total Metals</b>										



## Analytical Results Evaluation

Matrix: Water	Client sample ID	Sampling date/time	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank	---	---
			03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00	---	---
			Sub-Matrix	Water	Water	Water	Water	---	---
Analyte	CAS Number	Method/Lab	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	-----
<b>Total Metals</b>									
<b>Aluminum, total</b>	7429-90-5	E420/VA	mg/L	0.0902	0.0900	0.0860	<0.0030	<0.0030	---
<b>Antimony, total</b>	7440-36-0	E420/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
<b>Arsenic, total</b>	7440-38-2	E420/VA	mg/L	0.00014	0.00017	0.00017	<0.00010	<0.00010	---
<b>Barium, total</b>	7440-39-3	E420/VA	mg/L	0.00386	0.00229	0.00221	<0.00010	<0.00010	---
<b>Beryllium, total</b>	7440-41-7	E420/VA	mg/L	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	---
<b>Bismuth, total</b>	7440-69-9	E420/VA	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	---
<b>Boron, total</b>	7440-42-8	E420/VA	mg/L	<0.010	<0.010	<0.010	<0.010	<0.010	---
<b>Cadmium, total</b>	7440-43-9	E420/VA	mg/L	<0.0000050	0.0000077	0.0000054	<0.0000050	<0.0000050	---
<b>Calcium, total</b>	7440-70-2	E420/VA	mg/L	5.04	1.91	1.99	<0.050	<0.050	---
<b>Cesium, total</b>	7440-46-2	E420/VA	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	---
<b>Chromium, total</b>	7440-47-3	E420/VA	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	---
<b>Cobalt, total</b>	7440-48-4	E420/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
<b>Copper, total</b>	7440-50-8	E420/VA	mg/L	0.00070	0.00070	0.00068	<0.00050	<0.00050	---
<b>Iron, total</b>	7439-89-6	E420/VA	mg/L	0.054	0.027	0.023	<0.010	<0.010	---
<b>Lead, total</b>	7439-92-1	E420/VA	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	---
<b>Lithium, total</b>	7439-93-2	E420/VA	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	---
<b>Magnesium, total</b>	7439-95-4	E420/VA	mg/L	0.428	0.270	0.275	<0.0050	<0.0050	---
<b>Manganese, total</b>	7439-96-5	E420/VA	mg/L	0.00307	0.00101	0.00094	<0.00010	<0.00010	---
<b>Mercury, total</b>	7439-97-6	E508/VA	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	---
<b>Molybdenum, total</b>	7439-98-7	E420/VA	mg/L	0.000503	0.000363	0.000368	<0.000050	<0.000050	---
<b>Nickel, total</b>	7440-02-0	E420/VA	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	---
<b>Phosphorus, total</b>	7723-14-0	E420/VA	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	---
<b>Potassium, total</b>	7440-09-7	E420/VA	mg/L	0.216	0.160	0.163	<0.050	<0.050	---
<b>Rubidium, total</b>	7440-17-7	E420/VA	mg/L	0.00029	<0.00020	<0.00020	<0.00020	<0.00020	---
<b>Selenium, total</b>	7782-49-2	E420/VA	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	---
<b>Silicon, total</b>	7440-21-3	E420/VA	mg/L	3.57	3.45	3.41	<0.10	<0.10	---
<b>Silver, total</b>	7440-22-4	E420/VA	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	---
<b>Sodium, total</b>	7440-23-5	E420/VA	mg/L	1.34	1.21	1.25	<0.050	<0.050	---
<b>Strontium, total</b>	7440-24-6	E420/VA	mg/L	0.0190	0.00992	0.00986	<0.00020	<0.00020	---



## Analytical Results Evaluation

Matrix: Water	Client sample ID	Sampling date/time	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank	---	---
			03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00	---	---
			Sub-Matrix	Water	Water	Water	Water	---	---
Analyte	CAS Number	Method/Lab	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	-----
<b>Total Metals</b>									
Sulfur, total	7704-34-9	E420/VA	mg/L	0.63	<0.50	<0.50	<0.50	<0.50	---
Tellurium, total	13494-80-9	E420/VA	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	---
Thallium, total	7440-28-0	E420/VA	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	---
Thorium, total	7440-29-1	E420/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Tin, total	7440-31-5	E420/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Titanium, total	7440-32-6	E420/VA	mg/L	0.00087	0.00090	0.00066	<0.00030	<0.00030	---
Tungsten, total	7440-33-7	E420/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Uranium, total	7440-61-1	E420/VA	mg/L	0.000133	0.000133	0.000126	<0.000010	<0.000010	---
Vanadium, total	7440-62-2	E420/VA	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	---
Zinc, total	7440-66-6	E420/VA	mg/L	<0.0030	<0.0030	<0.0030	<0.0030	<0.0030	---
Zirconium, total	7440-67-7	E420/VA	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	---
<b>Dissolved Metals</b>									
Aluminum, dissolved	7429-90-5	E421/VA	mg/L	0.0692	0.0759	0.0756	<0.0010	---	---
Antimony, dissolved	7440-36-0	E421/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	---	---
Arsenic, dissolved	7440-38-2	E421/VA	mg/L	0.00011	0.00013	0.00013	<0.00010	---	---
Barium, dissolved	7440-39-3	E421/VA	mg/L	0.00365	0.00216	0.00220	<0.00010	---	---
Beryllium, dissolved	7440-41-7	E421/VA	mg/L	<0.000100	<0.000100	<0.000100	<0.000100	---	---
Bismuth, dissolved	7440-69-9	E421/VA	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	---	---
Boron, dissolved	7440-42-8	E421/VA	mg/L	<0.010	<0.010	<0.010	<0.010	---	---
Cadmium, dissolved	7440-43-9	E421/VA	mg/L	0.0000064	0.0000067	0.0000078	<0.0000050	---	---
Calcium, dissolved	7440-70-2	E421/VA	mg/L	5.00	1.98	1.97	<0.050	---	---
Cesium, dissolved	7440-46-2	E421/VA	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	---	---
Chromium, dissolved	7440-47-3	E421/VA	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	---	---
Cobalt, dissolved	7440-48-4	E421/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	---	---
Copper, dissolved	7440-50-8	E421/VA	mg/L	0.00061	0.00066	0.00064	<0.00020	---	---
Iron, dissolved	7439-89-6	E421/VA	mg/L	0.017	0.015	0.015	<0.010	---	---
Lead, dissolved	7439-92-1	E421/VA	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	---	---
Lithium, dissolved	7439-93-2	E421/VA	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	---	---



## Analytical Results Evaluation

Matrix: Water	Client sample ID	Sampling date/time	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank	---	---
			03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00	---	---
			Sub-Matrix	Water	Water	Water	Water	---	---
Analyte	CAS Number	Method/Lab	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	-----
<b>Dissolved Metals</b>									
<b>Magnesium, dissolved</b>	7439-95-4	E421/VA	mg/L	0.414	0.270	0.268	<0.0050	---	---
Manganese, dissolved	7439-96-5	E421/VA	mg/L	0.00160	0.00043	0.00044	<0.00010	---	---
<b>Mercury, dissolved</b>	7439-97-6	E509/VA	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	---	---
Molybdenum, dissolved	7439-98-7	E421/VA	mg/L	0.000502	0.000357	0.000376	<0.000050	---	---
<b>Nickel, dissolved</b>	7440-02-0	E421/VA	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	---	---
Phosphorus, dissolved	7723-14-0	E421/VA	mg/L	<0.050	<0.050	<0.050	<0.050	---	---
<b>Potassium, dissolved</b>	7440-09-7	E421/VA	mg/L	0.214	0.171	0.172	<0.050	---	---
Rubidium, dissolved	7440-17-7	E421/VA	mg/L	0.00028	<0.00020	<0.00020	<0.00020	---	---
<b>Selenium, dissolved</b>	7782-49-2	E421/VA	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	---	---
Silicon, dissolved	7440-21-3	E421/VA	mg/L	3.54	3.46	3.42	<0.050	---	---
<b>Silver, dissolved</b>	7440-22-4	E421/VA	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	---	---
Sodium, dissolved	7440-23-5	E421/VA	mg/L	1.32	1.26	1.26	<0.050	---	---
<b>Strontium, dissolved</b>	7440-24-6	E421/VA	mg/L	0.0184	0.00998	0.0101	<0.00020	---	---
Sulfur, dissolved	7704-34-9	E421/VA	mg/L	0.68	<0.50	<0.50	<0.50	---	---
<b>Tellurium, dissolved</b>	13494-80-9	E421/VA	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	---	---
Thallium, dissolved	7440-28-0	E421/VA	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	---	---
<b>Thorium, dissolved</b>	7440-29-1	E421/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	---	---
Tin, dissolved	7440-31-5	E421/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	---	---
<b>Titanium, dissolved</b>	7440-32-6	E421/VA	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	---	---
Tungsten, dissolved	7440-33-7	E421/VA	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	---	---
<b>Uranium, dissolved</b>	7440-61-1	E421/VA	mg/L	0.000130	0.000135	0.000128	<0.000010	---	---
Vanadium, dissolved	7440-62-2	E421/VA	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	---	---
<b>Zinc, dissolved</b>	7440-66-6	E421/VA	mg/L	0.0015	0.0011	0.0010	<0.0010	---	---
Zirconium, dissolved	7440-67-7	E421/VA	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	---	---
<b>Dissolved mercury filtration location</b>	---	EP509/VA	-	Field	Field	Field	Field	---	---
<b>Dissolved metals filtration location</b>	---	EP421/VA	-	Field	Field	Field	Field	---	---
<b>Aggregate Organics</b>									
<b>Chemical oxygen demand [COD]</b>	---	E559-L/VA	mg/L	<10	<10	<10	<10	<10	---



## Analytical Results Evaluation

Matrix: Water	Client sample ID		WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank	---	---	
	Sampling date/time		03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00	---	---	
	Sub-Matrix		Water	Water	Water	Water	Water	---	---	
Analyte	CAS Number	Method/Lab	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	-----	-----
<b>Aggregate Organics</b>										
Phenols, total (4AAP)	---	E562/EO	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010 <sup>SP</sup>	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

**Key:**

## CERTIFICATE OF ANALYSIS

Work Order	: VA24A0108	Page	: 1 of 6
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	: 8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Telephone		Telephone	
Project	: ----	Date Samples Received	: 03-Jan-2024 17:50
PO	: ----	Date Analysis Commenced	: 04-Jan-2024
C-O-C number	: ----	Issue Date	: 11-Jan-2024 09:45
Sampler			
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 5		
No. of samples analysed	: 5		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Brooke Miller	Laboratory Analyst	Inorganics, Edmonton, Alberta
Caitlin Macey	Team Leader - Inorganics	Inorganics, Burnaby, British Columbia
Juanita Martis	Laboratory Analyst	Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Inorganics, Burnaby, British Columbia
Miles Gropen	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
Monica Ko	Lab Assistant	Inorganics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Administration, Burnaby, British Columbia



## General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances  
LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

## Qualifiers

Qualifier	Description
SP	Sample was preserved at the laboratory.



## Analytical Results

Client sample ID				WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank	
Client sampling date / time				03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005
<b>Field Tests</b>									
Conductivity, field	----	EF001/VA	0.10	µS/cm	35.000	27.000	---	---	---
pH, field	----	EF001/VA	0.10	pH units	7.44	7.00	---	---	---
Temperature, field	----	EF001/VA	0.10	°C	6.70	6.00	---	---	---
<b>Physical Tests</b>									
Hardness (as CaCO <sub>3</sub> ), dissolved	----	EC100/VA	0.60	mg/L	14.2	6.06	6.02	<0.60	---
Hardness (as CaCO <sub>3</sub> ), from total Ca/Mg	----	EC100A/VA	0.60	mg/L	14.3	5.88	6.10	<0.60	<0.60
Solids, total dissolved [TDS]	----	E162/VA	10	mg/L	33	23	26	<10	<10
Solids, total suspended [TSS]	----	E160/VA	3.0	mg/L	<3.0	<3.0	<3.0	<3.0	<3.0
Alkalinity, total (as CaCO <sub>3</sub> )	----	E290/VA	2.0	mg/L	12.9	5.0	5.2	<2.0	<2.0
<b>Anions and Nutrients</b>									
Ammonia, total (as N)	7664-41-7	E298/VA	0.0050	mg/L	<0.0050	0.0117	<0.0050	<0.0050	<0.0050
Bromide	24959-67-9	E235.Br-L/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Chloride	16887-00-6	E235.Cl/VA	0.50	mg/L	0.76	0.75	0.77	<0.50	<0.50
Fluoride	16984-48-8	E235.F/VA	0.020	mg/L	<0.020	<0.020	<0.020	<0.020	<0.020
Kjeldahl nitrogen, total [TKN]	----	E318/VA	0.050	mg/L	0.054	0.061	0.053	<0.050	<0.050
Nitrate (as N)	14797-55-8	E235.NO3-L/V A	0.0050	mg/L	0.0484	0.0549	0.0409	<0.0050	<0.0050
Nitrite (as N)	14797-65-0	E235.NO2-L/V A	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nitrogen, total	7727-37-9	E366/VA	0.030	mg/L	0.106	0.115	0.108	<0.030	<0.030
Phosphorus, total	7723-14-0	E372-U/VA	0.0020	mg/L	0.0170	0.0205	0.0215	<0.0020	<0.0020
Sulfate (as SO <sub>4</sub> )	14808-79-8	E235.SO4/VA	0.30	mg/L	2.66	2.15	2.32	<0.30	<0.30
<b>Organic / Inorganic Carbon</b>									
Carbon, dissolved organic [DOC]	----	E358-L/VA	0.50	mg/L	1.96	2.19	2.17	<0.50	----
<b>Total Sulfides</b>									
Sulfide, total (as S)	18496-25-8	E395/VA	0.0015	mg/L	<0.0015	<0.0015	<0.0015	<0.0015	<0.0015
Sulfide, un-ionized (as H <sub>2</sub> S), from total	7783-06-4	EC395/VA	0.0015	mg/L	<0.0015	<0.0015	----	----	----
Sulfide, total (as H <sub>2</sub> S)	7783-06-4	E395/VA	0.0016	mg/L	<0.0016	<0.0016	<0.0016	<0.0016	<0.0016
<b>Total Metals</b>									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	0.0902	0.0900	0.0860	<0.0030	<0.0030



## Analytical Results

Sub-Matrix: Water (Matrix: Water)					Client sample ID	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank
					Client sampling date / time	03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	
<b>Total Metals</b>										
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.00014	0.00017	0.00017	<0.00010	<0.00010	
Barium, total	7440-39-3	E420/VA	0.00010	mg/L	0.00386	0.00229	0.00221	<0.00010	<0.00010	
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	
Boron, total	7440-42-8	E420/VA	0.010	mg/L	<0.010	<0.010	<0.010	<0.010	<0.010	
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	<0.0000050	0.0000077	0.0000054	<0.0000050	<0.0000050	
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	5.04	1.91	1.99	<0.050	<0.050	
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	
Copper, total	7440-50-8	E420/VA	0.00050	mg/L	0.00070	0.00070	0.00068	<0.00050	<0.00050	
Iron, total	7439-89-6	E420/VA	0.010	mg/L	0.054	0.027	0.023	<0.010	<0.010	
Lead, total	7439-92-1	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L	0.428	0.270	0.275	<0.0050	<0.0050	
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L	0.00307	0.00101	0.00094	<0.00010	<0.00010	
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L	0.000503	0.000363	0.000368	<0.000050	<0.000050	
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Potassium, total	7440-09-7	E420/VA	0.050	mg/L	0.216	0.160	0.163	<0.050	<0.050	
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L	0.00029	<0.00020	<0.00020	<0.00020	<0.00020	
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	
Silicon, total	7440-21-3	E420/VA	0.10	mg/L	3.57	3.45	3.41	<0.10	<0.10	
Silver, total	7440-22-4	E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	
Sodium, total	7440-23-5	E420/VA	0.050	mg/L	1.34	1.21	1.25	<0.050	<0.050	
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L	0.0190	0.00992	0.00986	<0.00020	<0.00020	
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L	0.63	<0.50	<0.50	<0.50	<0.50	
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	



## Analytical Results

					Client sample ID	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank
					Client sampling date / time	03-Jan-2024 10:10	03-Jan-2024 08:50	03-Jan-2024 09:30	03-Jan-2024 09:00	03-Jan-2024 00:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	
<b>Total Metals</b>										
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L	0.00087	0.00090	0.00066	<0.00030	<0.00030	<0.00030
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L	0.000133	0.000133	0.000126	<0.000010	<0.000010	<0.000010
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L	<0.0030	<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
<b>Dissolved Metals</b>										
Aluminum, dissolved	7429-90-5	E421/VA	0.0010	mg/L	0.0692	0.0759	0.0756	<0.0010	---	---
Antimony, dissolved	7440-36-0	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Arsenic, dissolved	7440-38-2	E421/VA	0.00010	mg/L	0.00011	0.00013	0.00013	<0.00010	---	---
Barium, dissolved	7440-39-3	E421/VA	0.00010	mg/L	0.00365	0.00216	0.00220	<0.00010	---	---
Beryllium, dissolved	7440-41-7	E421/VA	0.000100	mg/L	<0.000100	<0.000100	<0.000100	<0.000100	---	---
Bismuth, dissolved	7440-69-9	E421/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	---	---
Boron, dissolved	7440-42-8	E421/VA	0.010	mg/L	<0.010	<0.010	<0.010	<0.010	<0.010	---
Cadmium, dissolved	7440-43-9	E421/VA	0.0000050	mg/L	0.0000064	0.0000067	0.0000078	<0.0000050	---	---
Calcium, dissolved	7440-70-2	E421/VA	0.050	mg/L	5.00	1.98	1.97	<0.050	---	---
Cesium, dissolved	7440-46-2	E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	---	---
Chromium, dissolved	7440-47-3	E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	---	---
Cobalt, dissolved	7440-48-4	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	---	---
Copper, dissolved	7440-50-8	E421/VA	0.00020	mg/L	0.00061	0.00066	0.00064	<0.00020	---	---
Iron, dissolved	7439-89-6	E421/VA	0.010	mg/L	0.017	0.015	0.015	<0.010	---	---
Lead, dissolved	7439-92-1	E421/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	---	---
Lithium, dissolved	7439-93-2	E421/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	---
Magnesium, dissolved	7439-95-4	E421/VA	0.0050	mg/L	0.414	0.270	0.268	<0.0050	---	---
Manganese, dissolved	7439-96-5	E421/VA	0.00010	mg/L	0.00160	0.00043	0.00044	<0.00010	---	---
Mercury, dissolved	7439-97-6	E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	---	---
Molybdenum, dissolved	7439-98-7	E421/VA	0.000050	mg/L	0.000502	0.000357	0.000376	<0.000050	---	---



## Analytical Results

Sub-Matrix: Water (Matrix: Water)					Client sample ID	WLNG DS 1	WLNG US1	Duplicate	Field Blank	Travel Blank
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A0108-001	VA24A0108-002	VA24A0108-003	VA24A0108-004	VA24A0108-005	
					Result	Result	Result	Result	Result	
<b>Dissolved Metals</b>										
Nickel, dissolved	7440-02-0	E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	---
Phosphorus, dissolved	7723-14-0	E421/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	---
Potassium, dissolved	7440-09-7	E421/VA	0.050	mg/L	0.214	0.171	0.172	<0.050	<0.050	---
Rubidium, dissolved	7440-17-7	E421/VA	0.00020	mg/L	0.00028	<0.00020	<0.00020	<0.00020	<0.00020	---
Selenium, dissolved	7782-49-2	E421/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	---
Silicon, dissolved	7440-21-3	E421/VA	0.050	mg/L	3.54	3.46	3.42	<0.050	<0.050	---
Silver, dissolved	7440-22-4	E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	---
Sodium, dissolved	7440-23-5	E421/VA	0.050	mg/L	1.32	1.26	1.26	<0.050	<0.050	---
Strontium, dissolved	7440-24-6	E421/VA	0.00020	mg/L	0.0184	0.00998	0.0101	<0.00020	<0.00020	---
Sulfur, dissolved	7704-34-9	E421/VA	0.50	mg/L	0.68	<0.50	<0.50	<0.50	<0.50	---
Tellurium, dissolved	13494-80-9	E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	---
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	---
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030	---
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	---
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L	0.000130	0.000135	0.000128	<0.000010	<0.000010	---
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	---
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L	0.0015	0.0011	0.0010	<0.0010	<0.0010	---
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	---
Dissolved mercury filtration location	----	EP509/VA	-	-	Field	Field	Field	Field	Field	---
Dissolved metals filtration location	----	EP421/VA	-	-	Field	Field	Field	Field	Field	---
<b>Aggregate Organics</b>										
Chemical oxygen demand [COD]	----	E559-L/VA	10	mg/L	<10	<10	<10	<10	<10	<10
Phenols, total (4AAP)	----	E562/EO	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010 <sup>SP</sup>

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

## QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: VA24A0108	Page	: 1 of 21
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone		Telephone	
Project	: ----	Date Samples Received	: 03-Jan-2024 17:50
PO	: ----	Issue Date	: 11-Jan-2024 09:46
C-O-C number	: ----		
Sampler			
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 5		
No. of samples analysed	: 5		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

**Key**

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

### Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

### Summary of Outliers

#### Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

#### Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

***Outliers : Analysis Holding Time Compliance (Breaches)***

- No Analysis Holding Time Outliers exist.

***Outliers : Frequency of Quality Control Samples***

- No Quality Control Sample Frequency Outliers occur.

## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water										Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time		
Analyte Group : Analytical Method	Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
				Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Rec	Actual
<b>Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)</b>												
Amber glass total (sulfuric acid) Duplicate		E559-L	03-Jan-2024	---	---	---		05-Jan-2024	28 days	2 days		✓
<b>Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)</b>												
Amber glass total (sulfuric acid) Field Blank		E559-L	03-Jan-2024	---	---	---		05-Jan-2024	28 days	2 days		✓
<b>Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)</b>												
Amber glass total (sulfuric acid) WLNG DS 1		E559-L	03-Jan-2024	---	---	---		05-Jan-2024	28 days	2 days		✓
<b>Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)</b>												
Amber glass total (sulfuric acid) WLNG US1		E559-L	03-Jan-2024	---	---	---		05-Jan-2024	28 days	2 days		✓
<b>Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)</b>												
Amber glass total (lab preserved) Travel Blank		E559-L	03-Jan-2024	---	---	---		05-Jan-2024	3 days	3 days		✓
<b>Aggregate Organics : Phenols (4AAP) in Water by Colorimetry</b>												
Amber glass total (sulfuric acid) Duplicate		E562	03-Jan-2024	09-Jan-2024	28 days	6 days	✓	09-Jan-2024	28 days	6 days		✓
<b>Aggregate Organics : Phenols (4AAP) in Water by Colorimetry</b>												
Amber glass total (sulfuric acid) Field Blank		E562	03-Jan-2024	09-Jan-2024	28 days	6 days	✓	09-Jan-2024	28 days	6 days		✓



Matrix: Water      Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Eval	Analysis		
			Preparation Date	Holding Times	Rec		Analysis Date	Holding Times	Eval
Container / Client Sample ID(s)			Rec	Actual		Rec	Actual		
<b>Aggregate Organics : Phenols (4AAP) in Water by Colorimetry</b>									
Amber glass total (lab preserved) Travel Blank	E562	03-Jan-2024	09-Jan-2024	28 days	6 days	✓	09-Jan-2024	28 days	6 days
<b>Aggregate Organics : Phenols (4AAP) in Water by Colorimetry</b>									
Amber glass total (sulfuric acid) WLNG DS 1	E562	03-Jan-2024	09-Jan-2024	28 days	6 days	✓	09-Jan-2024	28 days	6 days
<b>Aggregate Organics : Phenols (4AAP) in Water by Colorimetry</b>									
Amber glass total (sulfuric acid) WLNG US1	E562	03-Jan-2024	09-Jan-2024	28 days	6 days	✓	09-Jan-2024	28 days	6 days
<b>Anions and Nutrients : Ammonia by Fluorescence</b>									
Amber glass total (sulfuric acid) Duplicate	E298	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days
<b>Anions and Nutrients : Ammonia by Fluorescence</b>									
Amber glass total (sulfuric acid) Field Blank	E298	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days
<b>Anions and Nutrients : Ammonia by Fluorescence</b>									
Amber glass total (sulfuric acid) WLNG DS 1	E298	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days
<b>Anions and Nutrients : Ammonia by Fluorescence</b>									
Amber glass total (sulfuric acid) WLNG US1	E298	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days
<b>Anions and Nutrients : Ammonia by Fluorescence</b>									
Amber glass total (lab preserved) Travel Blank	E298	03-Jan-2024	05-Jan-2024	3 days	3 days	✓	08-Jan-2024	28 days	2 days
<b>Anions and Nutrients : Bromide in Water by IC (Low Level)</b>									
HDPE Duplicate	E235.Br-L	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Eval	Analysis		
			Preparation Date	Holding Times	Rec		Analysis Date	Holding Times	Eval
Container / Client Sample ID(s)			Rec	Actual		Rec	Actual		
<b>Anions and Nutrients : Bromide in Water by IC (Low Level)</b>									
HDPE Field Blank	E235.Br-L	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Bromide in Water by IC (Low Level)</b>									
HDPE Travel Blank	E235.Br-L	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Bromide in Water by IC (Low Level)</b>									
HDPE WLNG DS 1	E235.Br-L	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Bromide in Water by IC (Low Level)</b>									
HDPE WLNG US1	E235.Br-L	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Chloride in Water by IC</b>									
HDPE Duplicate	E235.Cl	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Chloride in Water by IC</b>									
HDPE Field Blank	E235.Cl	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Chloride in Water by IC</b>									
HDPE Travel Blank	E235.Cl	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Chloride in Water by IC</b>									
HDPE WLNG DS 1	E235.Cl	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Chloride in Water by IC</b>									
HDPE WLNG US1	E235.Cl	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
<b>Anions and Nutrients : Fluoride in Water by IC</b>										
HDPE Duplicate	E235.F	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Fluoride in Water by IC</b>										
HDPE Field Blank	E235.F	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Fluoride in Water by IC</b>										
HDPE Travel Blank	E235.F	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Fluoride in Water by IC</b>										
HDPE WLNG DS 1	E235.F	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Fluoride in Water by IC</b>										
HDPE WLNG US1	E235.F	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Nitrate in Water by IC (Low Level)</b>										
HDPE Duplicate	E235.NO3-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Nitrate in Water by IC (Low Level)</b>										
HDPE Field Blank	E235.NO3-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Nitrate in Water by IC (Low Level)</b>										
HDPE Travel Blank	E235.NO3-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Nitrate in Water by IC (Low Level)</b>										
HDPE WLNG DS 1	E235.NO3-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
<b>Anions and Nutrients : Nitrate in Water by IC (Low Level)</b>										
HDPE WLNG US1	E235.NO3-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Nitrite in Water by IC (Low Level)</b>										
HDPE Duplicate	E235.NO2-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Nitrite in Water by IC (Low Level)</b>										
HDPE Field Blank	E235.NO2-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Nitrite in Water by IC (Low Level)</b>										
HDPE Travel Blank	E235.NO2-L	03-Jan-2024	05-Jan-2024	3 days	2 days	✓	05-Jan-2024	3 days	2 days	✓
<b>Anions and Nutrients : Sulfate in Water by IC</b>										
HDPE Duplicate	E235.SO4	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Sulfate in Water by IC</b>										
HDPE Field Blank	E235.SO4	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Sulfate in Water by IC</b>										
HDPE Travel Blank	E235.SO4	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days	✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Eval	Analysis		
			Preparation Date	Holding Times	Rec		Analysis Date	Holding Times	Eval
Container / Client Sample ID(s)			Rec	Actual		Rec	Actual		
<b>Anions and Nutrients : Sulfate in Water by IC</b>									
HDPE WLNG DS 1	E235.SO4	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Sulfate in Water by IC</b>									
HDPE WLNG US1	E235.SO4	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)</b>									
Amber glass total (sulfuric acid) Duplicate	E318	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days ✓
<b>Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)</b>									
Amber glass total (sulfuric acid) Field Blank	E318	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days ✓
<b>Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)</b>									
Amber glass total (sulfuric acid) WLNG DS 1	E318	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days ✓
<b>Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)</b>									
Amber glass total (sulfuric acid) WLNG US1	E318	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days ✓
<b>Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)</b>									
Amber glass total (lab preserved) Travel Blank	E318	03-Jan-2024	05-Jan-2024	3 days	3 days	✓	07-Jan-2024	28 days	2 days ✓
<b>Anions and Nutrients : Total Nitrogen by Colourimetry</b>									
Amber glass total (sulfuric acid) Duplicate	E366	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days ✓
<b>Anions and Nutrients : Total Nitrogen by Colourimetry</b>									
Amber glass total (sulfuric acid) Field Blank	E366	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days ✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times	Eval	Analysis Date	Holding Times	Eval		
Container / Client Sample ID(s)	Rec	Actual	Rec	Actual		Rec	Actual			
<b>Anions and Nutrients : Total Nitrogen by Colourimetry</b>										
Amber glass total (sulfuric acid) WLNG DS 1	E366	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days	✓
<b>Anions and Nutrients : Total Nitrogen by Colourimetry</b>										
Amber glass total (sulfuric acid) WLNG US1	E366	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	08-Jan-2024	28 days	5 days	✓
<b>Anions and Nutrients : Total Nitrogen by Colourimetry</b>										
Amber glass total (lab preserved) Travel Blank	E366	03-Jan-2024	05-Jan-2024	3 days	3 days	✓	07-Jan-2024	28 days	2 days	✓
<b>Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)</b>										
Amber glass total (sulfuric acid) Duplicate	E372-U	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days	✓
<b>Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)</b>										
Amber glass total (sulfuric acid) Field Blank	E372-U	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days	✓
<b>Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)</b>										
Amber glass total (sulfuric acid) WLNG DS 1	E372-U	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days	✓
<b>Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)</b>										
Amber glass total (sulfuric acid) WLNG US1	E372-U	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	09-Jan-2024	28 days	6 days	✓
<b>Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)</b>										
Amber glass total (lab preserved) Travel Blank	E372-U	03-Jan-2024	05-Jan-2024	3 days	3 days	✓	09-Jan-2024	28 days	4 days	✓
<b>Dissolved Metals : Dissolved Mercury in Water by CVAAS</b>										
Glass vial - dissolved (lab preserved) Duplicate	E509	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	0 days	✓



Matrix: Water Evaluation: ✘ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Eval	Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual		Analysis Date	Holding Times Rec	Holding Times Actual	
<b>Dissolved Metals : Dissolved Mercury in Water by CVAAS</b>										
Glass vial - dissolved (lab preserved) Field Blank	E509	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	0 days	✓
<b>Dissolved Metals : Dissolved Mercury in Water by CVAAS</b>										
Glass vial - dissolved (lab preserved) WLNG DS 1	E509	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	0 days	✓
<b>Dissolved Metals : Dissolved Mercury in Water by CVAAS</b>										
Glass vial - dissolved (lab preserved) WLNG US1	E509	03-Jan-2024	05-Jan-2024	28 days	2 days	✓	05-Jan-2024	28 days	0 days	✓
<b>Dissolved Metals : Dissolved Metals in Water by CRC ICPMS</b>										
HDPE - dissolved (lab preserved) Duplicate	E421	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓
<b>Dissolved Metals : Dissolved Metals in Water by CRC ICPMS</b>										
HDPE - dissolved (lab preserved) Field Blank	E421	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓
<b>Dissolved Metals : Dissolved Metals in Water by CRC ICPMS</b>										
HDPE - dissolved (lab preserved) WLNG DS 1	E421	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓
<b>Dissolved Metals : Dissolved Metals in Water by CRC ICPMS</b>										
HDPE - dissolved (lab preserved) WLNG US1	E421	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓
<b>Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine</b>										
Glass vial - total (lab preserved) WLNG DS 1	EF001	03-Jan-2024	----	----	----		04-Jan-2024	----	1 days	
<b>Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine</b>										
Glass vial - total (lab preserved) WLNG US1	EF001	03-Jan-2024	----	----	----		04-Jan-2024	----	1 days	



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)</b>										
Amber glass dissolved (sulfuric acid) Duplicate	E358-L	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	06-Jan-2024	28 days	3 days	✓
<b>Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)</b>										
Amber glass dissolved (sulfuric acid) Field Blank	E358-L	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	06-Jan-2024	28 days	3 days	✓
<b>Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)</b>										
Amber glass dissolved (sulfuric acid) WLNG DS 1	E358-L	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	06-Jan-2024	28 days	3 days	✓
<b>Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)</b>										
Amber glass dissolved (sulfuric acid) WLNG US1	E358-L	03-Jan-2024	06-Jan-2024	28 days	3 days	✓	06-Jan-2024	28 days	3 days	✓
<b>Physical Tests : Alkalinity Species by Titration</b>										
HDPE Duplicate	E290	03-Jan-2024	05-Jan-2024	14 days	2 days	✓	05-Jan-2024	14 days	2 days	✓
<b>Physical Tests : Alkalinity Species by Titration</b>										
HDPE Field Blank	E290	03-Jan-2024	05-Jan-2024	14 days	2 days	✓	05-Jan-2024	14 days	2 days	✓
<b>Physical Tests : Alkalinity Species by Titration</b>										
HDPE Travel Blank	E290	03-Jan-2024	05-Jan-2024	14 days	2 days	✓	05-Jan-2024	14 days	2 days	✓
<b>Physical Tests : Alkalinity Species by Titration</b>										
HDPE WLNG DS 1	E290	03-Jan-2024	05-Jan-2024	14 days	2 days	✓	05-Jan-2024	14 days	2 days	✓
<b>Physical Tests : Alkalinity Species by Titration</b>										
HDPE WLNG US1	E290	03-Jan-2024	05-Jan-2024	14 days	2 days	✓	05-Jan-2024	14 days	2 days	✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
				Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
<b>Physical Tests : TDS by Gravimetry</b>											
HDPE Duplicate		E162	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TDS by Gravimetry</b>											
HDPE Field Blank		E162	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TDS by Gravimetry</b>											
HDPE WLNG DS 1		E162	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TDS by Gravimetry</b>											
HDPE WLNG US1		E162	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TDS by Gravimetry</b>											
HDPE Travel Blank		E162	03-Jan-2024	---	---	---		04-Jan-2024	7 days	2 days	✓
<b>Physical Tests : TSS by Gravimetry</b>											
HDPE Duplicate		E160	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TSS by Gravimetry</b>											
HDPE Field Blank		E160	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TSS by Gravimetry</b>											
HDPE WLNG DS 1		E160	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓
<b>Physical Tests : TSS by Gravimetry</b>											
HDPE WLNG US1		E160	03-Jan-2024	---	---	---		04-Jan-2024	7 days	1 days	✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	
<b>Physical Tests : TSS by Gravimetry</b>										
HDPE Travel Blank	E160	03-Jan-2024	----	----	----		04-Jan-2024	7 days	2 days	✓
<b>Total Metals : Total Mercury in Water by CVAAS</b>										
Glass vial - total (lab preserved) Duplicate	E508	03-Jan-2024	04-Jan-2024	28 days	2 days	✓	04-Jan-2024	28 days	0 days	✓
<b>Total Metals : Total Mercury in Water by CVAAS</b>										
Glass vial - total (lab preserved) Field Blank	E508	03-Jan-2024	04-Jan-2024	28 days	2 days	✓	04-Jan-2024	28 days	0 days	✓
<b>Total Metals : Total Mercury in Water by CVAAS</b>										
Glass vial - total (lab preserved) Travel Blank	E508	03-Jan-2024	04-Jan-2024	28 days	2 days	✓	04-Jan-2024	28 days	0 days	✓
<b>Total Metals : Total Mercury in Water by CVAAS</b>										
Glass vial - total (lab preserved) WLNG DS 1	E508	03-Jan-2024	04-Jan-2024	28 days	2 days	✓	04-Jan-2024	28 days	0 days	✓
<b>Total Metals : Total Mercury in Water by CVAAS</b>										
Glass vial - total (lab preserved) WLNG US1	E508	03-Jan-2024	04-Jan-2024	28 days	2 days	✓	04-Jan-2024	28 days	0 days	✓
<b>Total Metals : Total Metals in Water by CRC ICPMS</b>										
HDPE - total (lab preserved) Duplicate	E420	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓
<b>Total Metals : Total Metals in Water by CRC ICPMS</b>										
HDPE - total (lab preserved) Field Blank	E420	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓
<b>Total Metals : Total Metals in Water by CRC ICPMS</b>										
HDPE - total (lab preserved) Travel Blank	E420	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days	✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Eval	Analysis		
			Preparation Date	Holding Times Rec	Holding Times Actual		Analysis Date	Holding Times Rec	Holding Times Actual
<b>Total Metals : Total Metals in Water by CRC ICPMS</b>									
HDPE - total (lab preserved) WLNG DS 1	E420	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days
<b>Total Metals : Total Metals in Water by CRC ICPMS</b>									
HDPE - total (lab preserved) WLNG US1	E420	03-Jan-2024	05-Jan-2024	180 days	2 days	✓	05-Jan-2024	180 days	2 days
<b>Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)</b>									
HDPE total (zinc acetate+sodium hydroxide) Duplicate	E395	03-Jan-2024	---	---	---		05-Jan-2024	7 days	2 days
<b>Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)</b>									
HDPE total (zinc acetate+sodium hydroxide) Field Blank	E395	03-Jan-2024	---	---	---		05-Jan-2024	7 days	2 days
<b>Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)</b>									
HDPE total (zinc acetate+sodium hydroxide) WLNG DS 1	E395	03-Jan-2024	---	---	---		05-Jan-2024	7 days	2 days
<b>Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)</b>									
HDPE total (zinc acetate+sodium hydroxide) WLNG US1	E395	03-Jan-2024	---	---	---		05-Jan-2024	7 days	2 days
<b>Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)</b>									
HDPE total (zinc acetate+sodium hydroxide) Travel Blank	E395	03-Jan-2024	---	---	---		05-Jan-2024	7 days	3 days

#### Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



## Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water

Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type	Analytical Methods	Method	QC Lot #	Count		Frequency (%)		
				QC	Regular	Actual	Expected	Evaluation
<b>Laboratory Duplicates (DUP)</b>								
Alkalinity Species by Titration		E290	1294711	1	6	16.6	5.0	✓
Ammonia by Fluorescence		E298	1295630	2	38	5.2	5.0	✓
Bromide in Water by IC (Low Level)		E235.Br-L	1294710	1	5	20.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)		E559-L	1295237	2	30	6.6	5.0	✓
Chloride in Water by IC		E235.Cl	1294707	1	14	7.1	5.0	✓
Dissolved Mercury in Water by CVAAS		E509	1295561	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS		E421	1294266	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)		E358-L	1296046	1	9	11.1	5.0	✓
Fluoride in Water by IC		E235.F	1294708	1	13	7.6	5.0	✓
Nitrate in Water by IC (Low Level)		E235.NO3-L	1294705	1	17	5.8	5.0	✓
Nitrite in Water by IC (Low Level)		E235.NO2-L	1294709	1	15	6.6	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1297369	1	20	5.0	5.0	✓
Sulfate in Water by IC		E235.SO4	1294706	1	15	6.6	5.0	✓
TDS by Gravimetry		E162	1294251	1	20	5.0	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)		E318	1295627	2	19	10.5	5.0	✓
Total Mercury in Water by CVAAS		E508	1294682	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS		E420	1293888	1	7	14.2	5.0	✓
Total Nitrogen by Colourimetry		E366	1295631	2	15	13.3	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)		E372-U	1295629	2	28	7.1	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)		E395	1295617	1	8	12.5	5.0	✓
TSS by Gravimetry		E160	1294244	1	20	5.0	5.0	✓
<b>Laboratory Control Samples (LCS)</b>								
Alkalinity Species by Titration		E290	1294711	1	6	16.6	5.0	✓
Ammonia by Fluorescence		E298	1295630	2	38	5.2	5.0	✓
Bromide in Water by IC (Low Level)		E235.Br-L	1294710	1	5	20.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)		E559-L	1295237	2	30	6.6	5.0	✓
Chloride in Water by IC		E235.Cl	1294707	1	14	7.1	5.0	✓
Dissolved Mercury in Water by CVAAS		E509	1295561	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS		E421	1294266	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)		E358-L	1296046	1	9	11.1	5.0	✓
Fluoride in Water by IC		E235.F	1294708	1	13	7.6	5.0	✓
Nitrate in Water by IC (Low Level)		E235.NO3-L	1294705	1	17	5.8	5.0	✓
Nitrite in Water by IC (Low Level)		E235.NO2-L	1294709	1	15	6.6	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1297369	1	20	5.0	5.0	✓
Sulfate in Water by IC		E235.SO4	1294706	1	15	6.6	5.0	✓
TDS by Gravimetry		E162	1294251	1	20	5.0	5.0	✓



Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.							
Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
<b>Laboratory Control Samples (LCS) - Continued</b>							
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1295627	2	19	10.5	5.0	✓
Total Mercury in Water by CVAAS	E508	1294682	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1293888	1	7	14.2	5.0	✓
Total Nitrogen by Colourimetry	E366	1295631	2	15	13.3	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1295629	2	28	7.1	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1295617	1	8	12.5	5.0	✓
TSS by Gravimetry	E160	1294244	1	20	5.0	5.0	✓
<b>Method Blanks (MB)</b>							
Alkalinity Species by Titration	E290	1294711	1	6	16.6	5.0	✓
Ammonia by Fluorescence	E298	1295630	2	38	5.2	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1294710	1	5	20.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L	1295237	2	30	6.6	5.0	✓
Chloride in Water by IC	E235.Cl	1294707	1	14	7.1	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1295561	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1294266	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1296046	1	9	11.1	5.0	✓
Fluoride in Water by IC	E235.F	1294708	1	13	7.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1294705	1	17	5.8	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1294709	1	15	6.6	5.0	✓
Phenols (4AAP) in Water by Colorimetry	E562	1297369	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1294706	1	15	6.6	5.0	✓
TDS by Gravimetry	E162	1294251	1	20	5.0	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1295627	2	19	10.5	5.0	✓
Total Mercury in Water by CVAAS	E508	1294682	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1293888	1	7	14.2	5.0	✓
Total Nitrogen by Colourimetry	E366	1295631	2	15	13.3	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1295629	2	28	7.1	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1295617	1	8	12.5	5.0	✓
TSS by Gravimetry	E160	1294244	1	20	5.0	5.0	✓
<b>Matrix Spikes (MS)</b>							
Ammonia by Fluorescence	E298	1295630	2	38	5.2	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1294710	1	5	20.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L	1295237	2	30	6.6	5.0	✓
Chloride in Water by IC	E235.Cl	1294707	1	14	7.1	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1295561	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1294266	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1296046	1	9	11.1	5.0	✓
Fluoride in Water by IC	E235.F	1294708	1	13	7.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1294705	1	17	5.8	5.0	✓



**Matrix: Water**

Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type	Analytical Methods	Method	QC Lot #	Count		Frequency (%)		
				QC	Regular	Actual	Expected	Evaluation
<b>Matrix Spikes (MS) - Continued</b>								
Nitrite in Water by IC (Low Level)		E235.NO2-L	1294709	1	15	6.6	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1297369	1	20	5.0	5.0	✓
Sulfate in Water by IC		E235.SO4	1294706	1	15	6.6	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)		E318	1295627	2	19	10.5	5.0	✓
Total Mercury in Water by CVAAS		E508	1294682	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS		E420	1293888	1	7	14.2	5.0	✓
Total Nitrogen by Colourimetry		E366	1295631	2	15	13.3	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)		E372-U	1295629	2	28	7.1	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)		E395	1295617	1	8	12.5	5.0	✓

## Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

<b>Analytical Methods</b>	<b>Method / Lab</b>	<b>Matrix</b>	<b>Method Reference</b>	<b>Method Descriptions</b>
TSS by Gravimetry	E160 ALS Environmental - Vancouver	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at $104 \pm 1^\circ\text{C}$ , with gravimetric measurement of the filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
TDS by Gravimetry	E162 ALS Environmental - Vancouver	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at $180 \pm 2^\circ\text{C}$ for 16 hours or to constant weight, with gravimetric measurement of the residue.
Bromide in Water by IC (Low Level)	E235.Br-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Chloride in Water by IC	E235.Cl ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC (Low Level)	E235.NO2-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC (Low Level)	E235.NO3-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 ALS Environmental - Vancouver	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.

Analytical Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	TKN in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021).
Dissolved Organic Carbon by Combustion (Low Level)	E358-L ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO <sub>2</sub> . NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Total Nitrogen by Colourimetry	E366 ALS Environmental - Vancouver	Water	Chinchilla Scientific Nitrate Method, 2011	Following digestion, total nitrogen is determined colourimetrically using a discrete analyzer utilizing the vanadium chloride reduction method. This method of analysis is approved under US EPA 40 CFR Part 136 (May 2021).
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U ALS Environmental - Vancouver	Water	APHA 4500-P E (mod.)	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Total Sulfide by Colourimetry (Automated Flow)	E395 ALS Environmental - Vancouver	Water	APHA 4500 -S E-Auto-Colorimetry	Sulfide is determined using the gas dialysis automated methylene blue colourimetric method. Results expressed "as H <sub>2</sub> S" if reported represent the maximum possible H <sub>2</sub> S concentration based on the total sulfide concentration in the sample. The H <sub>2</sub> S calculation converts Total Sulphide as (S <sup>2-</sup> ) and reports it as Total Sulphide as (H <sub>2</sub> S)
Total Metals in Water by CRC ICPMS	E420 ALS Environmental - Vancouver	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.  Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS.  Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508 ALS Environmental - Vancouver	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS



Analytical Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Mercury in Water by CVAAS	E509 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L ALS Environmental - Vancouver	Water	APHA 5220 D (mod)	Samples are analyzed using the closed reflux colourimetric method.
Phenols (4AAP) in Water by Colorimetry	E562 ALS Environmental - Edmonton	Water	EPA 9066	This automated method is based on the distillation of phenol and subsequent reaction of the distillate with alkaline ferricyanide (K3Fe(CN)6) and 4-amino-antipyrine (4-AAP) to form a red complex which is measured colorimetrically.
Dissolved Hardness (Calculated)	EC100 ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO <sub>3</sub> , dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO <sub>3</sub> equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO <sub>3</sub> , from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO <sub>3</sub> equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Un-ionized Total Hydrogen Sulfide (calculated)	EC395 ALS Environmental - Vancouver	Water	APHA 4500 -S H	Un-ionized sulfide is calculated using results from total sulfide analysis, pH, temperature, and ionic strength of the sample. Calculation of un-ionized sulfide using total sulfide concentrations may be biased high due to particulate forms of sulfide measured during total sulfide testing.
Field pH,EC,Salinity,Cl <sub>2</sub> ,ClO <sub>2</sub> ,ORP,DO, Turbidity,T,T-P,o-PO <sub>4</sub> ,NH <sub>3</sub> ,Chloramine	EF001 ALS Environmental - Vancouver	Water	Field Measurement (Client Supplied)	Field pH,EC,Salinity,Cl <sub>2</sub> ,ClO <sub>2</sub> ,ORP,DO, Turbidity,T,T-P,o-PO <sub>4</sub> ,NH <sub>3</sub> or Chloramine measurements provided by client and recorded on ALS report may affect the validity of results.
Preparation Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 ALS Environmental - Vancouver	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Digestion for TKN in water	EP318 ALS Environmental - Vancouver	Water	APHA 4500-Norg D (mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Dissolved Organic Carbon for Combustion	EP358 ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
Digestion for Total Nitrogen in water	EP366 ALS Environmental - Vancouver	Water	APHA 4500-P J (mod)	Samples for total nitrogen analysis are digested using a heated persulfate digestion. Nitrogen compounds are converted to nitrate in this digestion.
Digestion for Total Phosphorus in water	EP372 ALS Environmental - Vancouver	Water	APHA 4500-P E (mod.)	Samples are heated with a persulfate digestion reagent.
Dissolved Metals Water Filtration	EP421 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
Dissolved Mercury Water Filtration	EP509 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.

## QUALITY CONTROL REPORT

Work Order	: VA24A0108	Page	: 1 of 18
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	
Project	: ----	Date Samples Received	: 03-Jan-2024 17:50
PO	: ----	Date Analysis Commenced	: 04-Jan-2024
C-O-C number	: ----	Issue Date	: 11-Jan-2024 09:46
Sampler			
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 5		
No. of samples analysed	: 5		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Brooke Miller	Laboratory Analyst	Edmonton Inorganics, Edmonton, Alberta
Caitlin Macey	Team Leader - Inorganics	Vancouver Inorganics, Burnaby, British Columbia
Juanita Martis	Laboratory Analyst	Vancouver Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Inorganics, Burnaby, British Columbia
Miles Gropen	Department Manager - Inorganics	Vancouver Inorganics, Burnaby, British Columbia
Monica Ko	Lab Assistant	Vancouver Inorganics, Burnaby, British Columbia
Owen Cheng		Vancouver Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Vancouver Administration, Burnaby, British Columbia



## General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

### Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

# = Indicates a QC result that did not meet the ALS DQO.

## Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



## Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water

Laboratory Duplicate (DUP) Report											
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Physical Tests (QC Lot: 1294244)</b>											
FJ2400007-001	Anonymous	Solids, total suspended [TSS]	---	E160	3.0	mg/L	<3.0	<3.0	0	Diff <2x LOR	----
<b>Physical Tests (QC Lot: 1294251)</b>											
FJ2400007-001	Anonymous	Solids, total dissolved [TDS]	---	E162	20	mg/L	2130	2120	0.564%	20%	----
<b>Physical Tests (QC Lot: 1294711)</b>											
VA24A0108-002	WLNG US1	Alkalinity, total (as CaCO <sub>3</sub> )	---	E290	2.0	mg/L	5.0	4.8	0.2	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1294705)</b>											
VA24A0108-001	WLNG DS 1	Nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	0.0484	0.0499	0.0015	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1294706)</b>											
VA24A0108-001	WLNG DS 1	Sulfate (as SO <sub>4</sub> )	14808-79-8	E235.SO4	0.30	mg/L	2.66	2.65	0.008	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1294707)</b>											
VA24A0108-001	WLNG DS 1	Chloride	16887-00-6	E235.Cl	0.50	mg/L	0.76	0.76	0.002	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1294708)</b>											
VA24A0108-001	WLNG DS 1	Fluoride	16984-48-8	E235.F	0.020	mg/L	<0.020	<0.020	0	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1294709)</b>											
VA24A0108-001	WLNG DS 1	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1294710)</b>											
VA24A0108-001	WLNG DS 1	Bromide	24959-67-9	E235.Br-L	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1295627)</b>											
FJ2400017-012	Anonymous	Kjeldahl nitrogen, total [TKN]	---	E318	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1295629)</b>											
FJ2400017-012	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	<0.0020	<0.0020	0	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1295630)</b>											
FJ2400017-012	Anonymous	Ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1295631)</b>											
EO2400051-001	Anonymous	Nitrogen, total	7727-37-9	E366	0.300	mg/L	3.22	3.28	2.07%	20%	----
<b>Anions and Nutrients (QC Lot: 1296042)</b>											
KS2400036-004	Anonymous	Kjeldahl nitrogen, total [TKN]	---	E318	0.050	mg/L	0.072	0.066	0.006	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1296043)</b>											
VA24A0108-001	WLNG DS 1	Nitrogen, total	7727-37-9	E366	0.030	mg/L	0.106	0.108	0.002	Diff <2x LOR	----
<b>Anions and Nutrients (QC Lot: 1296044)</b>											



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Anions and Nutrients (QC Lot: 1296044) - continued</b>											
FJ2400007-001	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	0.0046	0.0045	0.00009	Diff <2x LOR	---
<b>Anions and Nutrients (QC Lot: 1296045)</b>											
FJ2400007-001	Anonymous	Ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.0563	0.0571	1.40%	20%	---
<b>Organic / Inorganic Carbon (QC Lot: 1296046)</b>											
VA24A0108-001	WLNG DS 1	Carbon, dissolved organic [DOC]	---	E358-L	0.50	mg/L	1.96	2.07	0.11	Diff <2x LOR	---
<b>Total Sulfides (QC Lot: 1295617)</b>											
VA24A0032-003	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	<0.0015	0	Diff <2x LOR	---
<b>Total Metals (QC Lot: 1293888)</b>											
VA24A0108-001	WLNG DS 1	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0902	0.0922	2.25%	20%	---
		Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00014	0.00013	0.000004	Diff <2x LOR	---
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.00386	0.00375	2.90%	20%	---
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	---
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Boron, total	7440-42-8	E420	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	---
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	<0.0000050	0.0000061	0.0000011	Diff <2x LOR	---
		Calcium, total	7440-70-2	E420	0.050	mg/L	5.04	4.93	2.24%	20%	---
		Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.00070	0.00069	0.00001	Diff <2x LOR	---
		Iron, total	7439-89-6	E420	0.010	mg/L	0.054	0.053	0.0004	Diff <2x LOR	---
		Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Lithium, total	7439-93-2	E420	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	0.428	0.422	1.35%	20%	---
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.00307	0.00318	3.41%	20%	---
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.000503	0.000491	0.000012	Diff <2x LOR	---
		Nickel, total	7440-02-0	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
		Potassium, total	7440-09-7	E420	0.050	mg/L	0.216	0.214	0.002	Diff <2x LOR	---
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00029	0.00031	0.00002	Diff <2x LOR	---
		Selenium, total	7782-49-2	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Silicon, total	7440-21-3	E420	0.10	mg/L	3.57	3.56	0.310%	20%	---
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Total Metals (QC Lot: 1293888) - continued</b>											
VA24A0108-001	WLNG DS 1	Sodium, total	7440-23-5	E420	0.050	mg/L	1.34	1.37	1.48%	20%	---
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.0190	0.0189	0.318%	20%	---
		Sulfur, total	7704-34-9	E420	0.50	mg/L	0.63	0.63	0.0007	Diff <2x LOR	---
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Thorium, total	7440-29-1	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Tin, total	7440-31-5	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Titanium, total	7440-32-6	E420	0.000030	mg/L	0.00087	0.00097	0.00010	Diff <2x LOR	---
		Tungsten, total	7440-33-7	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000133	0.000125	5.94%	20%	---
		Vanadium, total	7440-62-2	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0030	<0.0030	0	Diff <2x LOR	---
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---
<b>Total Metals (QC Lot: 1294682)</b>											
FJ2400008-017	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---
<b>Dissolved Metals (QC Lot: 1294266)</b>											
VA24A0108-001	WLNG DS 1	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0692	0.0678	2.06%	20%	---
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00011	0.00010	0.000005	Diff <2x LOR	---
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.00365	0.00366	0.427%	20%	---
		Beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	---
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	---
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0000064	0.0000051	0.0000013	Diff <2x LOR	---
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	5.00	4.96	0.916%	20%	---
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.00061	0.00059	0.00001	Diff <2x LOR	---
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.017	0.017	0.0004	Diff <2x LOR	---
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	0.414	0.404	2.46%	20%	---
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00160	0.00158	1.61%	20%	---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
<b>Dissolved Metals (QC Lot: 1294266) - continued</b>												
VA24A0108-001	WLNG DS 1	Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.000502	0.000457	0.000045	Diff <2x LOR	---	
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---	
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---	
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	0.214	0.208	0.006	Diff <2x LOR	---	
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00028	0.00026	0.00002	Diff <2x LOR	---	
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---	
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	3.54	3.55	0.239%	20%	---	
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---	
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	1.32	1.30	1.67%	20%	---	
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.0184	0.0180	2.47%	20%	---	
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	0.68	0.74	0.06	Diff <2x LOR	---	
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---	
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	---	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000130	0.000127	2.36%	20%	---	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0015	0.0013	0.0002	Diff <2x LOR	---	
		Zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---	
<b>Dissolved Metals (QC Lot: 1295561)</b>												
KS2304955-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---	
<b>Aggregate Organics (QC Lot: 1295237)</b>												
FJ2303357-001	Anonymous	Chemical oxygen demand [COD]	----	E559-L	10	mg/L	10	11	0.6	Diff <2x LOR	---	
<b>Aggregate Organics (QC Lot: 1295491)</b>												
KS2400036-001	Anonymous	Chemical oxygen demand [COD]	----	E559-L	10	mg/L	<10	<10	0	Diff <2x LOR	---	
<b>Aggregate Organics (QC Lot: 1297369)</b>												
EO2400101-003	Anonymous	Phenols, total (4AAP)	----	E562	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---	

## Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Physical Tests (QCLot: 1294244)</b>						
Solids, total suspended [TSS]	----	E160	3	mg/L	<3.0	---
<b>Physical Tests (QCLot: 1294251)</b>						
Solids, total dissolved [TDS]	----	E162	10	mg/L	<10	---
<b>Physical Tests (QCLot: 1294711)</b>						
Alkalinity, total (as CaCO <sub>3</sub> )	----	E290	1	mg/L	<1.0	---
<b>Anions and Nutrients (QCLot: 1294705)</b>						
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	<0.0050	---
<b>Anions and Nutrients (QCLot: 1294706)</b>						
Sulfate (as SO <sub>4</sub> )	14808-79-8	E235.SO4	0.3	mg/L	<0.30	---
<b>Anions and Nutrients (QCLot: 1294707)</b>						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	---
<b>Anions and Nutrients (QCLot: 1294708)</b>						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	---
<b>Anions and Nutrients (QCLot: 1294709)</b>						
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	<0.0010	---
<b>Anions and Nutrients (QCLot: 1294710)</b>						
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	<0.050	---
<b>Anions and Nutrients (QCLot: 1295627)</b>						
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	<0.050	---
<b>Anions and Nutrients (QCLot: 1295629)</b>						
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	<0.0020	---
<b>Anions and Nutrients (QCLot: 1295630)</b>						
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	---
<b>Anions and Nutrients (QCLot: 1295631)</b>						
Nitrogen, total	7727-37-9	E366	0.03	mg/L	<0.030	---
<b>Anions and Nutrients (QCLot: 1296042)</b>						
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	<0.050	---
<b>Anions and Nutrients (QCLot: 1296043)</b>						
Nitrogen, total	7727-37-9	E366	0.03	mg/L	<0.030	---
<b>Anions and Nutrients (QCLot: 1296044)</b>						
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	<0.0020	---
<b>Anions and Nutrients (QCLot: 1296045)</b>						

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Anions and Nutrients (QCLot: 1296045) - continued</b>						
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	---
<b>Organic / Inorganic Carbon (QCLot: 1296046)</b>						
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	---
<b>Total Sulfides (QCLot: 1295617)</b>						
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	---
<b>Total Metals (QCLot: 1293888)</b>						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	---
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	---
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	---
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	---
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	---
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	---
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	---
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	---
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	---
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	---
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	---
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	---
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	---
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	---
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	---
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	---
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	---
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	---
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	---
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	---
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	---
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	---
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	---
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	---
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	---
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	---
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	---
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	---
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Total Metals (QC Lot: 1293888) - continued</b>						
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	---
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	---
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	---
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	---
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	---
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	---
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	---
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	---
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	---
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	---
<b>Total Metals (QC Lot: 1294682)</b>						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.000050	---
<b>Dissolved Metals (QC Lot: 1294266)</b>						
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	---
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	---
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	---
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	---
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	---
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	---
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	---
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.000050	---
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	---
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	---
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	---
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	---
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	---
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	---
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	---
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	---
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	---
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	---
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	---
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	---
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	---
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Dissolved Metals (QCLot: 1294266) - continued</b>						
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	---
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	---
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	---
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	---
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	---
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	---
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	---
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	---
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	---
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	---
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	---
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	---
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	---
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	---
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	---
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	---
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	---
<b>Dissolved Metals (QCLot: 1295561)</b>						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	---
<b>Aggregate Organics (QCLot: 1295237)</b>						
Chemical oxygen demand [COD]	----	E559-L	10	mg/L	<10	---
<b>Aggregate Organics (QCLot: 1295491)</b>						
Chemical oxygen demand [COD]	----	E559-L	10	mg/L	<10	---
<b>Aggregate Organics (QCLot: 1297369)</b>						
Phenols, total (4AAP)	----	E562	0.001	mg/L	<0.0010	---



## Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		Qualifier
<b>Physical Tests (QCLot: 1294244)</b>									
Solids, total suspended [TSS]	---	E160	3	mg/L	150 mg/L	87.2	85.0	115	---
<b>Physical Tests (QC Lot: 1294251)</b>									
Solids, total dissolved [TDS]	---	E162	10	mg/L	1000 mg/L	101	85.0	115	---
<b>Physical Tests (QC Lot: 1294711)</b>									
Alkalinity, total (as CaCO <sub>3</sub> )	---	E290	1	mg/L	500 mg/L	107	85.0	115	---
<b>Anions and Nutrients (QC Lot: 1294705)</b>									
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	2.5 mg/L	99.2	90.0	110	---
<b>Anions and Nutrients (QC Lot: 1294706)</b>									
Sulfate (as SO <sub>4</sub> )	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	99.8	90.0	110	---
<b>Anions and Nutrients (QC Lot: 1294707)</b>									
Chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	98.4	90.0	110	---
<b>Anions and Nutrients (QC Lot: 1294708)</b>									
Fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	98.0	90.0	110	---
<b>Anions and Nutrients (QC Lot: 1294709)</b>									
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	99.5	90.0	110	---
<b>Anions and Nutrients (QC Lot: 1294710)</b>									
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	0.5 mg/L	102	85.0	115	---
<b>Anions and Nutrients (QC Lot: 1295627)</b>									
Kjeldahl nitrogen, total [TKN]	---	E318	0.05	mg/L	4 mg/L	97.5	75.0	125	---
<b>Anions and Nutrients (QC Lot: 1295629)</b>									
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.05 mg/L	89.7	80.0	120	---
<b>Anions and Nutrients (QC Lot: 1295630)</b>									
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	104	85.0	115	---
<b>Anions and Nutrients (QC Lot: 1295631)</b>									
Nitrogen, total	7727-37-9	E366	0.03	mg/L	0.5 mg/L	96.9	75.0	125	---
<b>Anions and Nutrients (QC Lot: 1296042)</b>									
Kjeldahl nitrogen, total [TKN]	---	E318	0.05	mg/L	4 mg/L	95.2	75.0	125	---
<b>Anions and Nutrients (QC Lot: 1296043)</b>									
Nitrogen, total	7727-37-9	E366	0.03	mg/L	0.5 mg/L	93.1	75.0	125	---
<b>Anions and Nutrients (QC Lot: 1296044)</b>									
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.05 mg/L	96.6	80.0	120	---



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
<b>Anions and Nutrients (QCLot: 1296045)</b>									
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	98.2	85.0	115	----
<b>Organic / Inorganic Carbon (QCLot: 1296046)</b>									
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	8.57 mg/L	102	80.0	120	----
<b>Total Sulfides (QCLot: 1295617)</b>									
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	0.08 mg/L	111	80.0	120	----
<b>Total Metals (QCLot: 1293888)</b>									
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	102	80.0	120	----
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	106	80.0	120	----
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	109	80.0	120	----
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	----
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	102	80.0	120	----
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	102	80.0	120	----
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	95.4	80.0	120	----
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	105	80.0	120	----
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	99.6	80.0	120	----
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	101	80.0	120	----
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	104	80.0	120	----
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	102	80.0	120	----
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	101	80.0	120	----
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	103	80.0	120	----
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	102	80.0	120	----
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	98.2	80.0	120	----
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	109	80.0	120	----
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	105	80.0	120	----
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	----
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	101	80.0	120	----
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	108	80.0	120	----
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	106	80.0	120	----
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	106	80.0	120	----
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	101	80.0	120	----
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	107	80.0	120	----
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	94.6	80.0	120	----
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	103	80.0	120	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
<b>Total Metals (QCLot: 1293888) - continued</b>									
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	103	80.0	120	---
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	91.6	80.0	120	---
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	105	80.0	120	---
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	104	80.0	120	---
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	97.0	80.0	120	---
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	105	80.0	120	---
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	106	80.0	120	---
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	97.9	80.0	120	---
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	101	80.0	120	---
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	105	80.0	120	---
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	103	80.0	120	---
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	99.3	80.0	120	---
<b>Total Metals (QCLot: 1294682)</b>									
Mercury, total	7439-97-6	E508	0.000005	mg/L	0.0001 mg/L	96.5	80.0	120	---
<b>Dissolved Metals (QCLot: 1294266)</b>									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	103	80.0	120	---
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	101	80.0	120	---
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	104	80.0	120	---
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	101	80.0	120	---
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	101	80.0	120	---
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	100	80.0	120	---
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	96.2	80.0	120	---
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	99.5	80.0	120	---
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	101	80.0	120	---
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	106	80.0	120	---
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	104	80.0	120	---
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	103	80.0	120	---
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	99.1	80.0	120	---
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	102	80.0	120	---
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	103	80.0	120	---
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	104	80.0	120	---
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	107	80.0	120	---
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	101	80.0	120	---
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	103	80.0	120	---
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	101	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
<b>Dissolved Metals (QCLot: 1294266) - continued</b>									
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	113	80.0	120	----
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	103	80.0	120	----
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	104	80.0	120	----
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	99.8	80.0	120	----
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	107	80.0	120	----
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	96.7	80.0	120	----
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	103	80.0	120	----
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	102	80.0	120	----
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	98.7	80.0	120	----
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	102	80.0	120	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	101	80.0	120	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	102	80.0	120	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	103	80.0	120	----
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	101	80.0	120	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	104	80.0	120	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	107	80.0	120	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	104	80.0	120	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	98.6	80.0	120	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	101	80.0	120	----
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0.0001 mg/L	96.3	80.0	120	----
<b>Aggregate Organics (QCLot: 1295237)</b>									
Chemical oxygen demand [COD]	---	E559-L	10	mg/L	100 mg/L	108	85.0	115	----
<b>Aggregate Organics (QCLot: 1295491)</b>									
Chemical oxygen demand [COD]	---	E559-L	10	mg/L	100 mg/L	107	85.0	115	----
<b>Aggregate Organics (QCLot: 1297369)</b>									
Phenols, total (4AAP)	---	E562	0.001	mg/L	0.02 mg/L	102	85.0	115	----



## Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water

Matrix Spike (MS) Report									
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Spike		Recovery (%)	Recovery Limits (%)	
					Concentration	Target	MS	Low	High
<b>Anions and Nutrients (QCLot: 1294705)</b>									
VA24A0108-002	WLNG US1	Nitrate (as N)	14797-55-8	E235.NO3-L	2.64 mg/L	2.5 mg/L	106	75.0	125
<b>Anions and Nutrients (QCLot: 1294706)</b>									
VA24A0108-002	WLNG US1	Sulfate (as SO4)	14808-79-8	E235.SO4	106 mg/L	100 mg/L	106	75.0	125
<b>Anions and Nutrients (QCLot: 1294707)</b>									
VA24A0108-002	WLNG US1	Chloride	16887-00-6	E235.Cl	104 mg/L	100 mg/L	104	75.0	125
<b>Anions and Nutrients (QCLot: 1294708)</b>									
VA24A0108-002	WLNG US1	Fluoride	16984-48-8	E235.F	1.05 mg/L	1 mg/L	105	75.0	125
<b>Anions and Nutrients (QCLot: 1294709)</b>									
VA24A0108-002	WLNG US1	Nitrite (as N)	14797-65-0	E235.NO2-L	0.526 mg/L	0.5 mg/L	105	75.0	125
<b>Anions and Nutrients (QCLot: 1294710)</b>									
VA24A0108-002	WLNG US1	Bromide	24959-67-9	E235.Br-L	0.519 mg/L	0.5 mg/L	104	75.0	125
<b>Anions and Nutrients (QCLot: 1295627)</b>									
FJ2400017-013	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	2.51 mg/L	2.5 mg/L	100	70.0	130
<b>Anions and Nutrients (QCLot: 1295629)</b>									
FJ2400017-013	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0483 mg/L	0.05 mg/L	96.7	70.0	130
<b>Anions and Nutrients (QCLot: 1295630)</b>									
FJ2400017-013	Anonymous	Ammonia, total (as N)	7664-41-7	E298	0.0996 mg/L	0.1 mg/L	99.6	75.0	125
<b>Anions and Nutrients (QCLot: 1295631)</b>									
EO2400055-001	Anonymous	Nitrogen, total	7727-37-9	E366	7.45 mg/L	8 mg/L	93.2	70.0	130
<b>Anions and Nutrients (QCLot: 1296042)</b>									
KS2400036-005	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	2.43 mg/L	2.5 mg/L	97.1	70.0	130
<b>Anions and Nutrients (QCLot: 1296043)</b>									
VA24A0108-002	WLNG US1	Nitrogen, total	7727-37-9	E366	0.383 mg/L	0.4 mg/L	95.7	70.0	130
<b>Anions and Nutrients (QCLot: 1296044)</b>									
FJ2400007-002	Anonymous	Phosphorus, total	7723-14-0	E372-U	ND mg/L	0.05 mg/L	ND	70.0	130
<b>Anions and Nutrients (QCLot: 1296045)</b>									
FJ2400007-002	Anonymous	Ammonia, total (as N)	7664-41-7	E298	0.106 mg/L	0.1 mg/L	106	75.0	125



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)		Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
<b>Organic / Inorganic Carbon (QC Lot: 1296046)</b>										
VA24A0108-002	WLNG US1	Carbon, dissolved organic [DOC]	---	E358-L	5.03 mg/L	5 mg/L	101	70.0	130	---
<b>Total Sulfides (QC Lot: 1295617)</b>										
VA24A0032-004	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.0882 mg/L	0.1 mg/L	88.2	75.0	125	---
<b>Total Metals (QC Lot: 1293888)</b>										
VA24A0108-002	WLNG US1	Aluminum, total	7429-90-5	E420	0.181 mg/L	0.2 mg/L	90.4	70.0	130	---
		Antimony, total	7440-36-0	E420	0.0179 mg/L	0.02 mg/L	89.7	70.0	130	---
		Arsenic, total	7440-38-2	E420	0.0188 mg/L	0.02 mg/L	94.3	70.0	130	---
		Barium, total	7440-39-3	E420	0.0187 mg/L	0.02 mg/L	93.4	70.0	130	---
		Beryllium, total	7440-41-7	E420	0.0364 mg/L	0.04 mg/L	91.0	70.0	130	---
		Bismuth, total	7440-69-9	E420	0.00908 mg/L	0.01 mg/L	90.8	70.0	130	---
		Boron, total	7440-42-8	E420	0.092 mg/L	0.1 mg/L	92.0	70.0	130	---
		Cadmium, total	7440-43-9	E420	0.00379 mg/L	0.004 mg/L	94.8	70.0	130	---
		Calcium, total	7440-70-2	E420	3.59 mg/L	4 mg/L	89.7	70.0	130	---
		Cesium, total	7440-46-2	E420	0.00898 mg/L	0.01 mg/L	89.8	70.0	130	---
		Chromium, total	7440-47-3	E420	0.0378 mg/L	0.04 mg/L	94.4	70.0	130	---
		Cobalt, total	7440-48-4	E420	0.0188 mg/L	0.02 mg/L	94.0	70.0	130	---
		Copper, total	7440-50-8	E420	0.0185 mg/L	0.02 mg/L	92.6	70.0	130	---
		Iron, total	7439-89-6	E420	1.82 mg/L	2 mg/L	91.0	70.0	130	---
		Lead, total	7439-92-1	E420	0.0187 mg/L	0.02 mg/L	93.4	70.0	130	---
		Lithium, total	7439-93-2	E420	0.0884 mg/L	0.1 mg/L	88.4	70.0	130	---
		Magnesium, total	7439-95-4	E420	0.926 mg/L	1 mg/L	92.6	70.0	130	---
		Manganese, total	7439-96-5	E420	0.0189 mg/L	0.02 mg/L	94.6	70.0	130	---
		Molybdenum, total	7439-98-7	E420	0.0187 mg/L	0.02 mg/L	93.7	70.0	130	---
		Nickel, total	7440-02-0	E420	0.0381 mg/L	0.04 mg/L	95.2	70.0	130	---
		Phosphorus, total	7723-14-0	E420	9.24 mg/L	10 mg/L	92.4	70.0	130	---
		Potassium, total	7440-09-7	E420	3.86 mg/L	4 mg/L	96.4	70.0	130	---
		Rubidium, total	7440-17-7	E420	0.0191 mg/L	0.02 mg/L	95.5	70.0	130	---
		Selenium, total	7782-49-2	E420	0.0375 mg/L	0.04 mg/L	93.8	70.0	130	---
		Silicon, total	7440-21-3	E420	8.99 mg/L	10 mg/L	89.9	70.0	130	---
		Silver, total	7440-22-4	E420	0.00353 mg/L	0.004 mg/L	88.2	70.0	130	---
		Sodium, total	7440-23-5	E420	1.80 mg/L	2 mg/L	90.0	70.0	130	---
		Strontium, total	7440-24-6	E420	0.0190 mg/L	0.02 mg/L	95.0	70.0	130	---
		Sulfur, total	7704-34-9	E420	17.7 mg/L	20 mg/L	88.6	70.0	130	---
		Tellurium, total	13494-80-9	E420	0.0379 mg/L	0.04 mg/L	94.7	70.0	130	---
		Thallium, total	7440-28-0	E420	0.00369 mg/L	0.004 mg/L	92.4	70.0	130	---



**Sub-Matrix: Water**

					Matrix Spike (MS) Report					
<b>Laboratory sample ID</b>	<b>Client sample ID</b>	<b>Analyte</b>	<b>CAS Number</b>	<b>Method</b>	<b>Spike</b>		<b>Recovery (%)</b>	<b>Recovery Limits (%)</b>		<b>Qualifier</b>
					<b>Concentration</b>	<b>Target</b>		<b>MS</b>	<b>Low</b>	
<b>Total Metals (QCLot: 1293888) - continued</b>										
VA24A0108-002	WLNG US1	Thorium, total	7440-29-1	E420	0.0156 mg/L	0.02 mg/L	78.2	70.0	130	---
		Tin, total	7440-31-5	E420	0.0186 mg/L	0.02 mg/L	93.2	70.0	130	---
		Titanium, total	7440-32-6	E420	0.0382 mg/L	0.04 mg/L	95.4	70.0	130	---
		Tungsten, total	7440-33-7	E420	0.0176 mg/L	0.02 mg/L	88.1	70.0	130	---
		Uranium, total	7440-61-1	E420	0.00359 mg/L	0.004 mg/L	89.8	70.0	130	---
		Vanadium, total	7440-62-2	E420	0.0929 mg/L	0.1 mg/L	92.9	70.0	130	---
		Zinc, total	7440-66-6	E420	0.379 mg/L	0.4 mg/L	94.7	70.0	130	---
		Zirconium, total	7440-67-7	E420	0.0369 mg/L	0.04 mg/L	92.2	70.0	130	---
<b>Total Metals (QCLot: 1294682)</b>										
KS2304955-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000985 mg/L	0.0001 mg/L	98.5	70.0	130	---
<b>Dissolved Metals (QCLot: 1294266)</b>										
VA24A0108-002	WLNG US1	Aluminum, dissolved	7429-90-5	E421	0.189 mg/L	0.2 mg/L	94.7	70.0	130	---
		Antimony, dissolved	7440-36-0	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	---
		Arsenic, dissolved	7440-38-2	E421	0.0187 mg/L	0.02 mg/L	93.5	70.0	130	---
		Barium, dissolved	7440-39-3	E421	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	---
		Beryllium, dissolved	7440-41-7	E421	0.0392 mg/L	0.04 mg/L	98.1	70.0	130	---
		Bismuth, dissolved	7440-69-9	E421	0.0101 mg/L	0.01 mg/L	101	70.0	130	---
		Boron, dissolved	7440-42-8	E421	0.097 mg/L	0.1 mg/L	97.0	70.0	130	---
		Cadmium, dissolved	7440-43-9	E421	0.00395 mg/L	0.004 mg/L	98.8	70.0	130	---
		Calcium, dissolved	7440-70-2	E421	3.84 mg/L	4 mg/L	95.9	70.0	130	---
		Cesium, dissolved	7440-46-2	E421	0.0107 mg/L	0.01 mg/L	107	70.0	130	---
		Chromium, dissolved	7440-47-3	E421	0.0394 mg/L	0.04 mg/L	98.4	70.0	130	---
		Cobalt, dissolved	7440-48-4	E421	0.0193 mg/L	0.02 mg/L	96.7	70.0	130	---
		Copper, dissolved	7440-50-8	E421	0.0191 mg/L	0.02 mg/L	95.6	70.0	130	---
		Iron, dissolved	7439-89-6	E421	1.92 mg/L	2 mg/L	96.1	70.0	130	---
		Lead, dissolved	7439-92-1	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	---
		Lithium, dissolved	7439-93-2	E421	0.0974 mg/L	0.1 mg/L	97.4	70.0	130	---
		Magnesium, dissolved	7439-95-4	E421	0.941 mg/L	1 mg/L	94.1	70.0	130	---
		Manganese, dissolved	7439-96-5	E421	0.0190 mg/L	0.02 mg/L	94.8	70.0	130	---
		Molybdenum, dissolved	7439-98-7	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	---
		Nickel, dissolved	7440-02-0	E421	0.0384 mg/L	0.04 mg/L	96.0	70.0	130	---
		Phosphorus, dissolved	7723-14-0	E421	9.89 mg/L	10 mg/L	98.9	70.0	130	---
		Potassium, dissolved	7440-09-7	E421	3.85 mg/L	4 mg/L	96.4	70.0	130	---
		Rubidium, dissolved	7440-17-7	E421	0.0194 mg/L	0.02 mg/L	96.8	70.0	130	---
		Selenium, dissolved	7782-49-2	E421	0.0388 mg/L	0.04 mg/L	97.1	70.0	130	---



**Sub-Matrix: Water**

					Matrix Spike (MS) Report					
<b>Laboratory sample ID</b>	<b>Client sample ID</b>	<b>Analyte</b>	<b>CAS Number</b>	<b>Method</b>	<b>Spike</b>		<b>Recovery (%)</b>	<b>Recovery Limits (%)</b>		<b>Qualifier</b>
					<b>Concentration</b>	<b>Target</b>		<b>MS</b>	<b>Low</b>	
<b>Dissolved Metals (QCLot: 1294266) - continued</b>										
VA24A0108-002	WLNG US1	Silicon, dissolved	7440-21-3	E421	9.67 mg/L	10 mg/L	96.7	70.0	130	---
		Silver, dissolved	7440-22-4	E421	0.00408 mg/L	0.004 mg/L	102	70.0	130	---
		Sodium, dissolved	7440-23-5	E421	1.83 mg/L	2 mg/L	91.5	70.0	130	---
		Strontium, dissolved	7440-24-6	E421	0.0194 mg/L	0.02 mg/L	96.8	70.0	130	---
		Sulfur, dissolved	7704-34-9	E421	19.2 mg/L	20 mg/L	95.8	70.0	130	---
		Tellurium, dissolved	13494-80-9	E421	0.0414 mg/L	0.04 mg/L	104	70.0	130	---
		Thallium, dissolved	7440-28-0	E421	0.00412 mg/L	0.004 mg/L	103	70.0	130	---
		Thorium, dissolved	7440-29-1	E421	0.0188 mg/L	0.02 mg/L	94.3	70.0	130	---
		Tin, dissolved	7440-31-5	E421	0.0198 mg/L	0.02 mg/L	99.2	70.0	130	---
		Titanium, dissolved	7440-32-6	E421	0.0388 mg/L	0.04 mg/L	97.0	70.0	130	---
		Tungsten, dissolved	7440-33-7	E421	0.0201 mg/L	0.02 mg/L	100	70.0	130	---
		Uranium, dissolved	7440-61-1	E421	0.00412 mg/L	0.004 mg/L	103	70.0	130	---
		Vanadium, dissolved	7440-62-2	E421	0.0971 mg/L	0.1 mg/L	97.1	70.0	130	---
		Zinc, dissolved	7440-66-6	E421	0.383 mg/L	0.4 mg/L	95.8	70.0	130	---
		Zirconium, dissolved	7440-67-7	E421	0.0406 mg/L	0.04 mg/L	102	70.0	130	---
<b>Dissolved Metals (QCLot: 1295561)</b>										
VA23D1024-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000101 mg/L	0.0001 mg/L	101	70.0	130	---
<b>Aggregate Organics (QCLot: 1295237)</b>										
FJ2303357-002	Anonymous	Chemical oxygen demand [COD]	----	E559-L	ND mg/L	100 mg/L	ND	75.0	125	---
<b>Aggregate Organics (QCLot: 1295491)</b>										
KS2400036-002	Anonymous	Chemical oxygen demand [COD]	----	E559-L	107 mg/L	100 mg/L	107	75.0	125	---
<b>Aggregate Organics (QCLot: 1297369)</b>										
EO2400101-004	Anonymous	Phenols, total (4AAP)	----	E562	0.0196 mg/L	0.02 mg/L	98.2	75.0	125	---



**Chain of Custody (COC) / Analytical Request Form**

Canada Toll Free: 1 800 668 9878

COC Number: 17 -

**Affix ALS barcode label here**

(lab use only)

Page 1 of

Report To		Contact and company name below will appear on the final report		Report Format / Distribution		Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)													
Company:	Triton Environmental	Select Report Format:	<input type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)	Quality Control (QC) Report with Report		<input type="checkbox"/> YES <input type="checkbox"/> NO	Regular [R] <input checked="" type="checkbox"/> Standard TAT if received by 3 pm - business days - no surcharges apply			4 day [P4-20%] <input type="checkbox"/>			1 Business day [E1 - 100%] <input type="checkbox"/>						
Contact:				<input checked="" type="checkbox"/> Compare Results to Criteria on Report - provide details below if box checked						3 day [P3-25%] <input type="checkbox"/>			Same Day, Weekend or Statutory holiday [E2 - 200% (Laboratory opening fees may apply)] <input type="checkbox"/>						
Phone:		Company address below will appear on the final report		Select Distribution:		<input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX				2 day [P2-50%] <input type="checkbox"/>									
Street:	1730-1111-West-Georgia-Street	Email 1 or Fax		Date and Time Required for all E&P TATs:			dd-mm-yy hh:mm												
City/Province:	Vancouver/BC	Email 2		IT For tests that can not be performed according to the service level selected, you will be contacted.															
Postal Code:	V6E 4M3	Email 3		Analysis Request															
Invoice To	Same as Report To. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Invoice Distribution		Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below															
Company:		Copy of Invoice with Report <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Select Invoice Distribution: <input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input checked="" type="checkbox"/> FAX	F	F		P	P		F/P									
Contact:		Email 1 or Fax		Total metals	Dissolved mercury		TDS	Nutrients (ammonium, ammonium, TKN, total nitrogen, total phosphorus, phenols, COD, Total sulfide (as H <sub>2</sub> S), Unionized Sulfide		Anions scan (Br, Cl, F, NO <sub>2</sub> , NO <sub>3</sub> , SO <sub>4</sub> )	General parameters (alkalinity)								
Project Information		Oil and Gas Required Fields (client use)																	
ALS Account # / Quote #:	VA23-TRIT100-012	AFE/Cost Center:	PO#																
Job #:		Major/Minor Code:	Routing Code:																
PO / AFE:		Requisitioner:																	
LSD:		Location:																	
ALS Lab Work Order # (lab use only):		ALS Contact: Can Dang	Sampler: Oregon, OR																
ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)		Date (dd-mm-yy)	Time (hh:mm)	Sample Type	Total mercury	Dissolved mercury	TSS	TDS	Nutrients (ammonium, ammonium, TKN, total nitrogen, total phosphorus, phenols, COD, Total sulfide (as H <sub>2</sub> S), Unionized Sulfide	Anions scan (Br, Cl, F, NO <sub>2</sub> , NO <sub>3</sub> , SO <sub>4</sub> )	General parameters (alkalinity)	DOC						
	WLNG DS 1		03-Jan-29	10:10	Water	R	R	R	R	R	R	R	R	R	R	R	N 8		
	pH: 7.44 cond: 35.0 temp: 6.7																		
	WLNG US 1		03-Jan-29	08:50	Water	R	R	R	R	R	R	R	R	R	R	R	N 8		
	pH: 7.00 cond: 27.0 temp: 6.0																		
	Duplicate		03-Jan-29	09:30	Water	R	R	R	R	R	R	R	R	R	R	R	N 8		
	Field Blank		↓	09:00	Water	R	R	R	R	R	R	R	R	R	R	R	N 8		
	Trip Blank		03-Jan-29	Prepared	Water	R	R		R	R	R	R	R	R	R	R	N 5		
Environmental Division Vancouver Work Order Reference <b>VA24A0108</b>																			
Drinking Water (DW) Samples <sup>1</sup>																			
Are samples taken from a Regulated DW System? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO																			
Telephone : + 1 604 253 4188																			
Are samples for human consumption/ use? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO																			
Triton project # 11964																			
Criteria to add on report by clicking on the drop-down list below (electronic COC only)																			
SAMPLE CONDITION AS RECEIVED (lab use only)																			
Frozen <input checked="" type="checkbox"/> SIF Observations Yes <input type="checkbox"/> No <input type="checkbox"/>																			
Ice Packs <input checked="" type="checkbox"/> Ice Cubes <input type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/>																			
Cooling Initiated <input type="checkbox"/>																			
INITIAL COOLER TEMPERATURES °C																			
FINAL COOLER TEMPERATURES °C																			
8      9																			
FINAL SHIPMENT RECEIPTION (lab use only)																			
Released by	Time: 12:50	Received by:	Date:	Time:	Received by: RJ	Date: JAN-3	Time: 17:50												
TONS AND SAMPLING INFORMATION																			
WHITE - LABORATORY COPY    YELLOW - CLIENT COPY																			

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

SEPT 2017 FRONT

 <b>FORTIS BC™</b>	<b>Eagle Mountain - Woodfibre Gas Pipeline Project</b>	<b>Reporting Week</b>	<b>Jan 3<sup>rd</sup> to Jan 7<sup>th</sup>, 2024</b>
	<b>Woodfibre Site Waste Discharge Approval</b>	<b>Report #</b>	<b>2</b>
	<b>AE-111973 Report</b>	<b>Appendix</b>	<b>B</b>

## Receiving Environment Field Notes and Logs

<b>Inspection Date</b>	1/3/2024
<b>Location</b>	WLNG
<b>SiteID</b>	EAS DS1
<b>Component</b>	Tunnel
<b>Permit</b>	PE 110136
<b>Site Name</b>	Receiving Environment - Upstream of Discharge
<b>Latitude</b>	49.6683
<b>Longitude</b>	-123.247958
<b>EM</b>	Sam Blanchard
<b>Air Temperature Low (°C)</b>	5
<b>Air Temperature High (°C)</b>	6
<b>Conditions</b>	Light Rain
<b>GroundCondition</b>	Wet
<b>Timestamp</b>	10:10:00
<b>FlowVolume</b>	moderate In-stream work affecting turbidity in East Creek
<b>Notes</b>	(downstream) from 11:00 to 15:00.
<b>OdourDetected</b>	No
<b>Odour</b>	N/A
<b>ColourDetected</b>	No
<b>Colour</b>	N/A
<b>Unusual Observation Detected</b>	No
<b>Unusual Observation</b>	No
<b>SheenDetected</b>	N/A
<b>Sheen</b>	Yes
<b>SAMPLES COLLECTED</b>	Yes
<b>Total Metals Mercury</b>	Yes
<b>Dissolved Metals Mercury</b>	Yes
<b>TSS</b>	Yes
<b>TDS</b>	Yes
<b>Nutrients</b>	Yes
<b>DOC</b>	Yes
<b>General Parameters Alkalinity</b>	Yes
<b>TroutLC50</b>	Field blank and trip blank
<b>OtherSample</b>	Yes
<b>QASamples</b>	Yes
<b>Logger Maintenance Performed</b>	Calibrated DS logger for turbidity.
<b>Photo Of COC</b>	Yes
<b>Logger Maintenance Comment</b>	N/A

**1/3/2024**

WLNG

EAS US1

Tunnel

PE 110136

Receiving Environment - Upstream of Discharge

49.669455

-123.25087

Sam Blanchard

5

6

Light Rain

Wet

8:50:00

moderate

No

N/A

No

N/A

No

No

N/A

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Field blank, duplicate and trip blank

Yes


Yes

Changed battery in US telemetry unit and calibrated logger for turbidity.

Yes

N/A

Jan 3, 2024 at 8:47:15 AM  
10U 481906 5501914 ±11.91m  
315° NW  
WLNG EAS US1 (US View)



Jan 3, 2024 at 10:28:27 AM  
10U 482111 5501788 ±4.76m  
119° SE  
WLNG EAS DS1 (DS View)



Jan 3, 2024 at 10:28:09 AM  
10U-482104 5501774 ±8.84m  
355° N  
WLNG EAS DS1 (US View)



Jan 3, 2024 at 8:47:34 AM  
10U 481906 5501914 ±11.91m  
73° E  
WLNG EAS US1 (DS View)

